




















Type - Tipo - Typ Type - Tipo	Size - Grandezza - Grösse Taille - Tamaño	Mounting - Montaggio Montage - Fixation Tipo de montaje	Rapporto - Ratio Untersetzung Reduction - Relacion	Output shaft Albero uscita Abtriebswelle Arbre de sortie Eje en salida
<b>M</b>	<b>FA42</b>	<b>C</b>	<b>10.04</b>	<b>-D</b>
<b>Shaft mounted helical</b> Riduttori ad assi paralleli 	<b>1</b> Stage Riduzione Stufe Trains Etapa <b>2</b> Stages Riduzioni Stufen Trains Etapas <b>3</b> Stages Riduzioni Stufen Trains Etapas		<b>See technical data table</b> Vedi tabelle dati tecnici. Technisches Datenblatt beachten Voir Tableau données techniques Ver tabla datos técnicos	
With IEC motor <b>M</b>	<b>Aluminum/Alluminio/Aluminium/Aluminio</b> <b>FA41</b>	Hollow output shaft <b>C</b>		<b>STANDARD</b> Only on request for Q.ty A richiesta per quantità FS10 <b>-J</b> → $\varnothing 17$ FS20 <b>-B</b> → $\varnothing 20$ FA32-3 <b>-C</b> → $\varnothing 25$ FA41 FA42 FA43 <b>-C</b> → $\varnothing 25$ <b>-D</b> → $\varnothing 30$ <b>-E</b> → $\varnothing 35$
With motor flange <b>P</b>	<b>FA32</b> <b>FA42</b> <b>FA52</b>			FA52 FA53 FC61 FC62 FC63 <b>-E</b> → $\varnothing 35$ <b>-F</b> → $\varnothing 40$ FC71 FC72 FC73 <b>-F</b> → $\varnothing 40$ <b>-G</b> → $\varnothing 45$ FC81 FC82 FC83 <b>-H</b> → $\varnothing 50$ <b>-I</b> → $\varnothing 55$
With male input shaft <b>R</b>	<b>Cast Iron/Ghisa/Grauguss/Fonte/Fundicion</b> <b>FC61</b> <b>FC71</b> <b>FC81</b>			FA32/3 → $\varnothing 25$ <b>-M</b> FA41/2/3 → $\varnothing 30$ <b>-N</b> FA52/3 → $\varnothing 35$ FC61/2/3 → $\varnothing 35$ <b>-O</b> FC71/2/3 → $\varnothing 40$ <b>-K</b> FC81/2/3 → $\varnothing 50$
Modular base <b>B</b> Not available for: FC61, FC71, FC81, FC82.	<b>FC62</b> <b>FC72</b> <b>FC82</b>	Shrink Disk <b>D</b> Only on request for Q.ty A richiesta per quantità		
ONLY FOR F10 Compact motor <b>C</b>	<b>FC63</b> <b>FC73</b> <b>FC83</b>			Single output shaft <b>-L</b> FA32/3 → $\varnothing 25$ <b>-M</b> FA41/2/3 → $\varnothing 30$ <b>-N</b> FA52/3 → $\varnothing 35$ FC61/2/3 → $\varnothing 35$ <b>-O</b> FC71/2/3 → $\varnothing 40$ <b>-K</b> FC81/2/3 → $\varnothing 50$
ONLY FOR F10 Compact motor <b>C</b>	<b>FC63</b> <b>FC73</b> <b>FC83</b>	Shrink disk <b>-Q</b> FA42/3 → $\varnothing 30$ <b>-T</b> FA52/3 → $\varnothing 35$ FC62/3 → $\varnothing 35$ <b>-U</b> FC72/3 → $\varnothing 40$ <b>-V</b> FC82/3 → $\varnothing 50$		Shrink disk <b>-Q</b> FA42/3 → $\varnothing 30$ <b>-T</b> FA52/3 → $\varnothing 35$ FC62/3 → $\varnothing 35$ <b>-U</b> FC72/3 → $\varnothing 40$ <b>-V</b> FC82/3 → $\varnothing 50$



On request we can deliver our products according to the ATEX  
 A richiesta possiamo fornire i nostri prodotti secondo le normative ATEX  
 Auf Anfrage können wir unsere Produkte den Richtlinien ATEX entsprechend liefern  
 Sur demande nos produits peuvent se conformer à la réglementation ATEX  
 A pedido, se pueden enviar nuestros productos de acuerdo con las normas ATEX.

Type - Tipo - Typ Types - Tipo	Output flange Flangia uscita Ausgangsflansch Bride de sortie Brida en salida	Motor size - Grandezza motore Motor Grösse Grandeur moteur - Tamaño motor	Mounting position Posizione montaggio Einbaulage Position de montage Posición de montaje	Input bore Foro entrata Eingangshohlwelle Trou d'entree Eje hueco de entrada	Terminal box position Posizione morsettiere Klemmkastenlage Position boîte à bornes Posición caja de bornes
<p><b>ST</b></p>  <p><b>ST</b> Foro standard Standard bore</p>  <p>only for FS10 / FS20</p> <p><b>ST</b> Senza braccio di reazione Without reaction arm</p>  <p><b>-F</b> Whit output flange con flangia uscita</p>	<p><b>N</b></p>  <p><b>N</b> Senza flangia Without flange</p> <p>FS20</p> <p><b>1</b> → <b>∅140</b></p> <p>FA32 FA33</p> <p><b>2</b> → <b>∅160</b></p> <p><b>3</b> → <b>∅200</b></p> <p>FA41 FA42 FA43</p> <p><b>2</b> → <b>∅160</b></p> <p><b>3</b> → <b>∅200</b></p> <p><b>4</b> → <b>∅250</b></p> <p>FA52 FA53 FC61 FC62 FC63</p> <p><b>4</b> → <b>∅250</b></p> <p>FC71 FC72 FC73</p> <p><b>4</b> → <b>∅250</b></p> <p><b>5</b> → <b>∅300</b></p> <p>FC81 FC82 FC83</p> <p><b>5</b> → <b>∅300</b></p> <p><b>6</b> → <b>∅350</b></p>	<p><b>-C</b></p> <p>Flange Flangia</p>  <p>B5</p> <p><b>-A</b>=56 (∅120)</p> <p><b>-B</b>=63 (∅140)</p> <p><b>-C</b>=71 (∅160)</p> <p><b>-D</b>=80 (∅200)</p> <p><b>-E</b>=90 (∅200)</p> <p><b>-F</b>=100 (∅250)</p> <p><b>-G</b>=132 (∅300)</p> <p><b>-H</b>=160 (∅350)</p> <p><b>-I</b>=180 (∅350)</p> <p>Without flange Senza flangia</p>  <p><b>B14</b></p> <p><b>-O</b>=56 (∅80)</p> <p><b>-P</b>=63 (∅90)</p> <p><b>-Q</b>=71 (∅105)</p> <p><b>-R</b>=80 (∅120)</p> <p><b>-T</b>=90 (∅140)</p> <p><b>-U</b>=100 (∅160)</p> <p><b>-V</b>=132 (∅200)</p> <p>Brushless</p> <p><b>BB</b>=50/70-M5</p> <p><b>BC</b>=60/75-M5</p> <p><b>BD</b>=70/90-M6</p> <p><b>BE</b>=80/100-M6</p> <p><b>BF</b>=95/115-M8</p> <p><b>BG</b>=110/145-M8</p> <p><b>BH</b>=130/165-M8</p> <p>Type R Tipo R</p>  <p>FA33 FA43 FS10 FS20</p> <p><b>-1</b> → <b>∅14</b></p> <p>FA32 FA42 FA53 FC63 FC73</p> <p><b>-2</b> → <b>∅19</b></p> <p>FA52 FC62 FC72 FC83</p> <p><b>-3</b> → <b>∅24</b></p> <p>FC82</p> <p><b>-4</b> → <b>∅28</b></p> <p>With coupling</p> <p><b>-M</b> → With coupling</p> <p>FA33 FA43 FS10 FS20</p> <p><b>-Z</b> → <b>∅9</b> (IEC56)</p> <p><b>-0</b> → <b>∅11</b> (IEC63)</p> <p><b>-1</b> → <b>∅14</b> (IEC71)</p> <p>FA32 FA42 FA53 FC63 FC73</p> <p><b>-1</b> → <b>∅14</b> (IEC71)</p> <p><b>-2</b> → <b>∅19</b> (IEC80)</p> <p><b>-3</b> → <b>∅24</b> (IEC90)</p> <p>FA52 FC62 FC72 FC83</p> <p><b>-2</b> → <b>∅19</b> (IEC80)</p> <p><b>-3</b> → <b>∅24</b> (IEC90)</p> <p><b>-4</b> → <b>∅28</b> (IEC100)</p> <p>FA41</p> <p><b>-4</b> → <b>∅28</b> (IEC100)</p>	<p><b>H1</b></p>  <p><b>H1</b> STANDARD</p>  <p><b>H4</b></p>  <p><b>H3</b></p>  <p><b>H2</b></p>  <p><b>H5</b></p>  <p><b>H6</b></p>	<p><b>ST</b> standard bore foro standard</p> <p>COUPLING STANDARD (IEC)</p>  <p><b>-A</b> = 9mm</p> <p><b>-B</b> = 11mm</p> <p><b>-C</b> = 14mm</p> <p><b>-D</b> = 19mm</p> <p><b>-E</b> = 24mm</p> <p><b>-F</b> = 28mm</p> <p>BRUSHLESS *</p>  <p><b>-2</b> = 11mm</p> <p><b>-3</b> = 14mm</p> <p><b>-4</b> = 19mm</p> <p><b>-5</b> = 22mm</p> <p><b>-6</b> = 24mm</p> <p><b>-0</b> Ready for input coupling Predisposto per giunto</p>  <p>* With reduction bushing where applicable Con bussola di riduzione dove prevista</p>	<p>With Type M specify terminal box position Con tipo M specificare posizione morsettiere</p>  <p><b>A</b></p>  <p><b>B</b> STANDARD</p>  <p><b>C</b></p>  <p><b>D</b></p>