

LUBRICATION / LUBRIFICAZIONE

EN

I

CUBE GEAR - SHAFT MOUNTED GEARBOXES

Units from H61C to H63C are supplied with synthetic oil for lifetime lubrication, no maintenance is necessary. Please specify in the order the mounting position.

The units from H71C to H83C are supplied without lubricant and equipped with a breather, level and drain plugs. User can add mineral oil keeping existing plugs. Should the user wish to fill it with synthetic oil, it is recommended to replace the existing plugs with a closed plug.

The table hereafter must be referred to as for the mounting position pattern and the corresponding oil plugs, if applicable, and related lubricant quantity. These quantity are only indicative; to ensure correct filling, always refer to the centreline of the sight glass. In some cases, discrepancies, occasionally also substantial, versus the oil quantities listed in the chart may be noticed.

CUBE GEAR - RIDOTTORI AD ASSI PARALLELI

I riduttori dal H61C al H63C sono forniti completi di olio sintetico per la lubrificazione permanente e non necessita di alcuna manutenzione. Specificare in fase d'ordine la posizione di montaggio.

I riduttori dal H71C al H83C sono forniti privi di lubrificazione con tappi di sfiato, livello e scarico olio. L'utente può immettere olio minerale mantenendo i tappi esistenti. Se immetterà olio sintetico, dovrà sostituire i tappi esistenti con altri tipo chiuso.

Nelle tabelle sottostanti vengono rappresentate le posizioni di montaggio, la disposizione dei tappi olio e le relative quantità. Le quantità di lubrificante sono indicative; per avere il corretto quantitativo di lubrificante si dovrà dare attinenza esclusivamente alla mezzeria del tappo livello o allo sfioramento del foro del tappo, quando presenti. Tenendo in considerazione quanto appena sostenuto la quantità di lubrificante indicata in tabella può presentare delle differenze, occasionalmente anche rilevanti.

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side


▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug

● Level oil plug

OIL PLUG



SYNTHETIC OIL	
Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

Standard

<p>B3</p>	<table border="1"> <thead> <tr> <th>Type</th> <th>H61C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.25</td> </tr> <tr> <td>⑦ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>N+E</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑦</td> <td>L</td> </tr> </tbody> </table>	Type	H61C	Oil q.ty (Lt.)	2.25	⑦ Standard 1 plug type L		On request		①	B	②	N+E	③	L	④	L	⑤	L	⑦	L	<p>B6</p>	<table border="1"> <thead> <tr> <th>Type</th> <th>H61C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>3.20</td> </tr> <tr> <td>⑦ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>E</td> </tr> <tr> <td>②</td> <td>B</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑦</td> <td>L</td> </tr> </tbody> </table>	Type	H61C	Oil q.ty (Lt.)	3.20	⑦ Standard 1 plug type L		On request		①	E	②	B	③	L	④	L	⑤	L	⑦	L	<p>B7</p>	<table border="1"> <thead> <tr> <th>Type</th> <th>H61C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>3.00</td> </tr> <tr> <td>⑦ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>E</td> </tr> <tr> <td>④</td> <td>B</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑦</td> <td>L</td> </tr> </tbody> </table>	Type	H61C	Oil q.ty (Lt.)	3.00	⑦ Standard 1 plug type L		On request		①	L	②	L	③	E	④	B	⑤	L	⑦	L
Type	H61C																																																																
Oil q.ty (Lt.)	2.25																																																																
⑦ Standard 1 plug type L																																																																	
On request																																																																	
①	B																																																																
②	N+E																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑦	L																																																																
Type	H61C																																																																
Oil q.ty (Lt.)	3.20																																																																
⑦ Standard 1 plug type L																																																																	
On request																																																																	
①	E																																																																
②	B																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑦	L																																																																
Type	H61C																																																																
Oil q.ty (Lt.)	3.00																																																																
⑦ Standard 1 plug type L																																																																	
On request																																																																	
①	L																																																																
②	L																																																																
③	E																																																																
④	B																																																																
⑤	L																																																																
⑦	L																																																																
<p>B8</p>	<table border="1"> <thead> <tr> <th>Type</th> <th>H61C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.25</td> </tr> <tr> <td>⑦ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>N+E</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑦</td> <td>L</td> </tr> </tbody> </table>	Type	H61C	Oil q.ty (Lt.)	2.25	⑦ Standard 1 plug type L		On request		①	B	②	L	③	L	④	N+E	⑤	L	⑦	L	<p>V5</p>	<table border="1"> <thead> <tr> <th>Type</th> <th>H61C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>4.35</td> </tr> <tr> <td>⑦ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑦</td> <td>E</td> </tr> </tbody> </table>	Type	H61C	Oil q.ty (Lt.)	4.35	⑦ Standard 1 plug type L		On request		①	L	②	L	③	L	④	L	⑤	L	⑦	E	<p>V6</p>	<table border="1"> <thead> <tr> <th>Type</th> <th>H61C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.35</td> </tr> <tr> <td>⑦ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>E</td> </tr> <tr> <td>⑦</td> <td>L</td> </tr> </tbody> </table>	Type	H61C	Oil q.ty (Lt.)	2.35	⑦ Standard 1 plug type L		On request		①	B	②	L	③	L	④	L	⑤	E	⑦	L
Type	H61C																																																																
Oil q.ty (Lt.)	2.25																																																																
⑦ Standard 1 plug type L																																																																	
On request																																																																	
①	B																																																																
②	L																																																																
③	L																																																																
④	N+E																																																																
⑤	L																																																																
⑦	L																																																																
Type	H61C																																																																
Oil q.ty (Lt.)	4.35																																																																
⑦ Standard 1 plug type L																																																																	
On request																																																																	
①	L																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑦	E																																																																
Type	H61C																																																																
Oil q.ty (Lt.)	2.35																																																																
⑦ Standard 1 plug type L																																																																	
On request																																																																	
①	B																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	E																																																																
⑦	L																																																																

OIL PLUG POSITIONS AND LUBRICATION TAPPING OIL - TIPI

□ Oil plug are on the back side

▽ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug







○ Level oil plug

OIL PLUG







 TO3/8LIA Allum. level plug 3/8	B	 TO3/8TPO Breather plug 3/8	E	 TO3/8SCA Allum. closed plug 3/8	L	 TO3/8PRO Steel extension 3/8	N
---	----------	---	----------	--	----------	---	----------

SYNTHETIC OIL	
Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

Standard

 B3	<table border="1"> <tr> <th>Type</th> <th>H62C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.25</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>N+E</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H62C	Oil q.ty (Lt.)	2.25	⑥ Standard 1 plug type L		On request		①	B	②	N+E	③	L	④	L	⑤	L	⑥	L	 B6	<table border="1"> <tr> <th>Type</th> <th>H62C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>3.20</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>E</td> </tr> <tr> <td>②</td> <td>B</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H62C	Oil q.ty (Lt.)	3.20	⑥ Standard 1 plug type L		On request		①	E	②	B	③	L	④	L	⑤	L	⑥	L	 B7	<table border="1"> <tr> <th>Type</th> <th>H62C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>3.00</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>E</td> </tr> <tr> <td>④</td> <td>B</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H62C	Oil q.ty (Lt.)	3.00	⑥ Standard 1 plug type L		On request		①	L	②	L	③	E	④	B	⑤	L	⑥	L
Type	H62C																																																																
Oil q.ty (Lt.)	2.25																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	B																																																																
②	N+E																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑥	L																																																																
Type	H62C																																																																
Oil q.ty (Lt.)	3.20																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	E																																																																
②	B																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑥	L																																																																
Type	H62C																																																																
Oil q.ty (Lt.)	3.00																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	L																																																																
②	L																																																																
③	E																																																																
④	B																																																																
⑤	L																																																																
⑥	L																																																																
 B8	<table border="1"> <tr> <th>Type</th> <th>H62C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.25</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>N+E</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H62C	Oil q.ty (Lt.)	2.25	⑥ Standard 1 plug type L		On request		①	B	②	L	③	L	④	N+E	⑤	L	⑥	L	 V5	<table border="1"> <tr> <th>Type</th> <th>H62C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>4.35</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>E</td> </tr> </table>	Type	H62C	Oil q.ty (Lt.)	4.35	⑥ Standard 1 plug type L		On request		①	L	②	L	③	L	④	L	⑤	L	⑥	E	 V6	<table border="1"> <tr> <th>Type</th> <th>H62C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.35</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>E</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H62C	Oil q.ty (Lt.)	2.35	⑥ Standard 1 plug type L		On request		①	B	②	L	③	L	④	L	⑤	E	⑥	L
Type	H62C																																																																
Oil q.ty (Lt.)	2.25																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	B																																																																
②	L																																																																
③	L																																																																
④	N+E																																																																
⑤	L																																																																
⑥	L																																																																
Type	H62C																																																																
Oil q.ty (Lt.)	4.35																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	L																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑥	E																																																																
Type	H62C																																																																
Oil q.ty (Lt.)	2.35																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	B																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	E																																																																
⑥	L																																																																

Standard

 B3	<table border="1"> <tr> <th>Type</th> <th>H63C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.35</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>N+E</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H63C	Oil q.ty (Lt.)	2.35	⑥ Standard 1 plug type L		On request		①	B	②	N+E	③	L	④	L	⑤	L	⑥	L	 B6	<table border="1"> <tr> <th>Type</th> <th>H63C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>3.85</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>E</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>B</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H63C	Oil q.ty (Lt.)	3.85	⑥ Standard 1 plug type L		On request		①	E	②	L	③	L	④	L	⑤	B	⑥	L	 B7	<table border="1"> <tr> <th>Type</th> <th>H63C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>3.15</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>E</td> </tr> <tr> <td>④</td> <td>B</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H63C	Oil q.ty (Lt.)	3.15	⑥ Standard 1 plug type L		On request		①	L	②	L	③	E	④	B	⑤	L	⑥	L
Type	H63C																																																																
Oil q.ty (Lt.)	2.35																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	B																																																																
②	N+E																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑥	L																																																																
Type	H63C																																																																
Oil q.ty (Lt.)	3.85																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	E																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	B																																																																
⑥	L																																																																
Type	H63C																																																																
Oil q.ty (Lt.)	3.15																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	L																																																																
②	L																																																																
③	E																																																																
④	B																																																																
⑤	L																																																																
⑥	L																																																																
 B8	<table border="1"> <tr> <th>Type</th> <th>H63C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.35</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>N+E</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H63C	Oil q.ty (Lt.)	2.35	⑥ Standard 1 plug type L		On request		①	B	②	L	③	L	④	N+E	⑤	L	⑥	L	 V5	<table border="1"> <tr> <th>Type</th> <th>H63C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>4.55</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>E</td> </tr> </table>	Type	H63C	Oil q.ty (Lt.)	4.55	⑥ Standard 1 plug type L		On request		①	L	②	L	③	L	④	L	⑤	L	⑥	E	 V6	<table border="1"> <tr> <th>Type</th> <th>H63C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.50</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>E</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table>	Type	H63C	Oil q.ty (Lt.)	2.50	⑥ Standard 1 plug type L		On request		①	B	②	L	③	L	④	L	⑤	E	⑥	L
Type	H63C																																																																
Oil q.ty (Lt.)	2.35																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	B																																																																
②	L																																																																
③	L																																																																
④	N+E																																																																
⑤	L																																																																
⑥	L																																																																
Type	H63C																																																																
Oil q.ty (Lt.)	4.55																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	L																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑥	E																																																																
Type	H63C																																																																
Oil q.ty (Lt.)	2.50																																																																
⑥ Standard 1 plug type L																																																																	
On request																																																																	
①	B																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	E																																																																
⑥	L																																																																

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug







● Level oil plug

OIL PLUG







 <p>B</p> <p>TO3/8LIA allum. level plug 3/8</p>	 <p>E</p> <p>TO3/8TPO Breather plug 3/8</p>	 <p>L</p> <p>TO3/8SCA Allum. closed plug 3/8</p>
 <p>N</p> <p>TO3/8PRO Steel extension 3/8</p>		

MINERAL OIL	
Code	Description
LUOBLAM460 (Standard)	Eni Blasia 460 Shell Omala S2 GX460

Standard

 <p>B3</p>	<p>Type H71C</p> <p>Oil q.ty (Lt.) 3.20</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>B</td></tr> <tr><td></td><td>②</td><td>N+E</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>L</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑦</td><td>L</td></tr> </table>	Standard	①	B		②	N+E		③	L		④	L		⑤	L		⑦	L	 <p>B6</p>	<p>Type H71C</p> <p>Oil q.ty (Lt.) 4.65</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>E</td></tr> <tr><td></td><td>②</td><td>B</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>L</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑦</td><td>L</td></tr> </table>	Standard	①	E		②	B		③	L		④	L		⑤	L		⑦	L	 <p>B7</p>	<p>Type H71C</p> <p>Oil q.ty (Lt.) 4.00</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>L</td></tr> <tr><td></td><td>②</td><td>L</td></tr> <tr><td></td><td>③</td><td>E</td></tr> <tr><td></td><td>④</td><td>B</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑦</td><td>L</td></tr> </table>	Standard	①	L		②	L		③	E		④	B		⑤	L		⑦	L
Standard	①	B																																																									
	②	N+E																																																									
	③	L																																																									
	④	L																																																									
	⑤	L																																																									
	⑦	L																																																									
Standard	①	E																																																									
	②	B																																																									
	③	L																																																									
	④	L																																																									
	⑤	L																																																									
	⑦	L																																																									
Standard	①	L																																																									
	②	L																																																									
	③	E																																																									
	④	B																																																									
	⑤	L																																																									
	⑦	L																																																									
 <p>B8</p>	<p>Type H71C</p> <p>Oil q.ty (Lt.) 3.20</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>B</td></tr> <tr><td></td><td>②</td><td>L</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>N+E</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑦</td><td>L</td></tr> </table>	Standard	①	B		②	L		③	L		④	N+E		⑤	L		⑦	L	<p>● Visual oil level check.</p>  <p>V5</p>	<p>Type H71C</p> <p>Oil q.ty (Lt.) 6.00</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>L</td></tr> <tr><td></td><td>②</td><td>L</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>L</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑦</td><td>E</td></tr> </table>	Standard	①	L		②	L		③	L		④	L		⑤	L		⑦	E	 <p>V6</p>	<p>Type H71C</p> <p>Oil q.ty (Lt.) 3.10</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>B</td></tr> <tr><td></td><td>②</td><td>L</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>L</td></tr> <tr><td></td><td>⑤</td><td>E</td></tr> <tr><td></td><td>⑦</td><td>L</td></tr> </table>	Standard	①	B		②	L		③	L		④	L		⑤	E		⑦	L
Standard	①	B																																																									
	②	L																																																									
	③	L																																																									
	④	N+E																																																									
	⑤	L																																																									
	⑦	L																																																									
Standard	①	L																																																									
	②	L																																																									
	③	L																																																									
	④	L																																																									
	⑤	L																																																									
	⑦	E																																																									
Standard	①	B																																																									
	②	L																																																									
	③	L																																																									
	④	L																																																									
	⑤	E																																																									
	⑦	L																																																									

Standard

 <p>B3</p>	<p>Type H72C</p> <p>Oil q.ty (Lt.) 3.20</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>B</td></tr> <tr><td></td><td>②</td><td>N+E</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>L</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑥</td><td>L</td></tr> </table>	Standard	①	B		②	N+E		③	L		④	L		⑤	L		⑥	L	 <p>B6</p>	<p>Type H72C</p> <p>Oil q.ty (Lt.) 4.65</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>E</td></tr> <tr><td></td><td>②</td><td>B</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>L</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑥</td><td>L</td></tr> </table>	Standard	①	E		②	B		③	L		④	L		⑤	L		⑥	L	 <p>B7</p>	<p>Type H72C</p> <p>Oil q.ty (Lt.) 4.00</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>L</td></tr> <tr><td></td><td>②</td><td>L</td></tr> <tr><td></td><td>③</td><td>E</td></tr> <tr><td></td><td>④</td><td>B</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑥</td><td>L</td></tr> </table>	Standard	①	L		②	L		③	E		④	B		⑤	L		⑥	L
Standard	①	B																																																									
	②	N+E																																																									
	③	L																																																									
	④	L																																																									
	⑤	L																																																									
	⑥	L																																																									
Standard	①	E																																																									
	②	B																																																									
	③	L																																																									
	④	L																																																									
	⑤	L																																																									
	⑥	L																																																									
Standard	①	L																																																									
	②	L																																																									
	③	E																																																									
	④	B																																																									
	⑤	L																																																									
	⑥	L																																																									
 <p>B8</p>	<p>Type H72C</p> <p>Oil q.ty (Lt.) 3.20</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>B</td></tr> <tr><td></td><td>②</td><td>L</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>N+E</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑥</td><td>L</td></tr> </table>	Standard	①	B		②	L		③	L		④	N+E		⑤	L		⑥	L	<p>● Visual oil level check.</p>  <p>V5</p>	<p>Type H72C</p> <p>Oil q.ty (Lt.) 6.20</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>L</td></tr> <tr><td></td><td>②</td><td>L</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>L</td></tr> <tr><td></td><td>⑤</td><td>L</td></tr> <tr><td></td><td>⑥</td><td>E</td></tr> </table>	Standard	①	L		②	L		③	L		④	L		⑤	L		⑥	E	 <p>V6</p>	<p>Type H72C</p> <p>Oil q.ty (Lt.) 3.10</p> <table border="1"> <tr><td>Standard</td><td>①</td><td>B</td></tr> <tr><td></td><td>②</td><td>L</td></tr> <tr><td></td><td>③</td><td>L</td></tr> <tr><td></td><td>④</td><td>L</td></tr> <tr><td></td><td>⑤</td><td>E</td></tr> <tr><td></td><td>⑥</td><td>L</td></tr> </table>	Standard	①	B		②	L		③	L		④	L		⑤	E		⑥	L
Standard	①	B																																																									
	②	L																																																									
	③	L																																																									
	④	N+E																																																									
	⑤	L																																																									
	⑥	L																																																									
Standard	①	L																																																									
	②	L																																																									
	③	L																																																									
	④	L																																																									
	⑤	L																																																									
	⑥	E																																																									
Standard	①	B																																																									
	②	L																																																									
	③	L																																																									
	④	L																																																									
	⑤	E																																																									
	⑥	L																																																									

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug


● Level oil plug

OIL PLUG

 <p>B</p> <p>TO3/8LIA allum. level plug 3/8</p>	 <p>E</p> <p>TO3/8TPO Breather plug 3/8</p>	 <p>L</p> <p>TO3/8SCA Allum. closed plug 3/8</p>
 <p>N</p> <p>TO3/8PRO Steel extension 3/8</p>		


MINERAL OIL	
Code	Description
LUOBLAM460 (Standard)	Eni Blasia 460 Shell Omala S2 GX460

Standard




B3

Type	H73C
Oil q.ty (Lt.)	3.30
Standard	① B
	② N+E
	③ L
	④ L
	⑤ L
	⑥ L




B6

Type	H73C
Oil q.ty (Lt.)	5.70
Standard	① E
	② L
	③ L
	④ L
	⑤ B
	⑥ L




B7

Type	H73C
Oil q.ty (Lt.)	4.15
Standard	① L
	② L
	③ E
	④ B
	⑤ L
	⑥ L




B8

Type	H73C
Oil q.ty (Lt.)	3.30
Standard	① B
	② L
	③ L
	④ N+E
	⑤ L
	⑥ L



V5

Type	H73C
Oil q.ty (Lt.)	6.40
Standard	① L
	② L
	③ L
	④ L
	⑤ L
	⑥ E



V6

Type	H73C
Oil q.ty (Lt.)	3.25
Standard	① B
	② L
	③ L
	④ L
	⑤ E
	⑥ L

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▽ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug







● Level oil plug

OIL PLUG







 TO3/8LIA Allum. level plug 3/8	B	 TO3/8TPO Breather plug 3/8	E	 TO3/8SCA Allum. closed plug 3/8	L
 TO3/8C90 90° steel connect 3/8	M	 TO3/8PRO Steel extension 3/8	N		

MINERAL OIL	
Code	Description
LUOBLAM460 (Standard)	Eni Blasia 460 Shell Omala S2 GX460

Standard

 B3	<table border="1"> <thead> <tr> <th>Type</th> <th>H81C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.70</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>N+E</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H81C	Oil q.ty (Lt.)	5.70	Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>N+E</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	N+E	③	L	④	L	⑤	L	⑦	L	⑧	L	 B6	<table border="1"> <thead> <tr> <th>Type</th> <th>H81C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>7.00</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>E</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>B</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H81C	Oil q.ty (Lt.)	7.00	Standard	<table border="1"> <tr><td>①</td><td>E</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>B</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	E	②	L	③	L	④	L	⑤	B	⑦	L	⑧	L	 B7	<table border="1"> <thead> <tr> <th>Type</th> <th>H81C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>7.90</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>N+E</td></tr> <tr><td>④</td><td>B</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H81C	Oil q.ty (Lt.)	7.90	Standard	<table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>N+E</td></tr> <tr><td>④</td><td>B</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	L	②	L	③	N+E	④	B	⑤	L	⑦	L	⑧	L
Type	H81C																																																																
Oil q.ty (Lt.)	5.70																																																																
Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>N+E</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	N+E	③	L	④	L	⑤	L	⑦	L	⑧	L																																																		
①	B																																																																
②	N+E																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑦	L																																																																
⑧	L																																																																
Type	H81C																																																																
Oil q.ty (Lt.)	7.00																																																																
Standard	<table border="1"> <tr><td>①</td><td>E</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>B</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	E	②	L	③	L	④	L	⑤	B	⑦	L	⑧	L																																																		
①	E																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	B																																																																
⑦	L																																																																
⑧	L																																																																
Type	H81C																																																																
Oil q.ty (Lt.)	7.90																																																																
Standard	<table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>N+E</td></tr> <tr><td>④</td><td>B</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	L	②	L	③	N+E	④	B	⑤	L	⑦	L	⑧	L																																																		
①	L																																																																
②	L																																																																
③	N+E																																																																
④	B																																																																
⑤	L																																																																
⑦	L																																																																
⑧	L																																																																
 B8	<table border="1"> <thead> <tr> <th>Type</th> <th>H81C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.70</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>N+E</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H81C	Oil q.ty (Lt.)	5.70	Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>N+E</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	L	③	L	④	N+E	⑤	L	⑦	L	⑧	L	 V5	<table border="1"> <thead> <tr> <th>Type</th> <th>H81C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>10.20</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>N+M+E</td></tr> <tr><td>⑧</td><td>B</td></tr> </table> </td> </tr> </tbody> </table>	Type	H81C	Oil q.ty (Lt.)	10.20	Standard	<table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>N+M+E</td></tr> <tr><td>⑧</td><td>B</td></tr> </table>	①	L	②	L	③	L	④	L	⑤	L	⑦	N+M+E	⑧	B	 V6	<table border="1"> <thead> <tr> <th>Type</th> <th>H81C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.60</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>N+E</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H81C	Oil q.ty (Lt.)	5.60	Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>N+E</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	L	③	L	④	L	⑤	N+E	⑦	L	⑧	L
Type	H81C																																																																
Oil q.ty (Lt.)	5.70																																																																
Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>N+E</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	L	③	L	④	N+E	⑤	L	⑦	L	⑧	L																																																		
①	B																																																																
②	L																																																																
③	L																																																																
④	N+E																																																																
⑤	L																																																																
⑦	L																																																																
⑧	L																																																																
Type	H81C																																																																
Oil q.ty (Lt.)	10.20																																																																
Standard	<table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>N+M+E</td></tr> <tr><td>⑧</td><td>B</td></tr> </table>	①	L	②	L	③	L	④	L	⑤	L	⑦	N+M+E	⑧	B																																																		
①	L																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑦	N+M+E																																																																
⑧	B																																																																
Type	H81C																																																																
Oil q.ty (Lt.)	5.60																																																																
Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>N+E</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	L	③	L	④	L	⑤	N+E	⑦	L	⑧	L																																																		
①	B																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	N+E																																																																
⑦	L																																																																
⑧	L																																																																

Standard

 B3	<table border="1"> <thead> <tr> <th>Type</th> <th>H82C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.60</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>N+E</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H82C	Oil q.ty (Lt.)	5.60	Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>N+E</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	N+E	③	L	④	L	⑤	L	⑦	L	⑧	L	 B6	<table border="1"> <thead> <tr> <th>Type</th> <th>H82C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>6.80</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>E</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>B</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H82C	Oil q.ty (Lt.)	6.80	Standard	<table border="1"> <tr><td>①</td><td>E</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>B</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	E	②	L	③	L	④	L	⑤	B	⑦	L	⑧	L	 B7	<table border="1"> <thead> <tr> <th>Type</th> <th>H82C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>7.80</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>N+E</td></tr> <tr><td>④</td><td>B</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H82C	Oil q.ty (Lt.)	7.80	Standard	<table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>N+E</td></tr> <tr><td>④</td><td>B</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	L	②	L	③	N+E	④	B	⑤	L	⑦	L	⑧	L
Type	H82C																																																																
Oil q.ty (Lt.)	5.60																																																																
Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>N+E</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	N+E	③	L	④	L	⑤	L	⑦	L	⑧	L																																																		
①	B																																																																
②	N+E																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑦	L																																																																
⑧	L																																																																
Type	H82C																																																																
Oil q.ty (Lt.)	6.80																																																																
Standard	<table border="1"> <tr><td>①</td><td>E</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>B</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	E	②	L	③	L	④	L	⑤	B	⑦	L	⑧	L																																																		
①	E																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	B																																																																
⑦	L																																																																
⑧	L																																																																
Type	H82C																																																																
Oil q.ty (Lt.)	7.80																																																																
Standard	<table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>N+E</td></tr> <tr><td>④</td><td>B</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	L	②	L	③	N+E	④	B	⑤	L	⑦	L	⑧	L																																																		
①	L																																																																
②	L																																																																
③	N+E																																																																
④	B																																																																
⑤	L																																																																
⑦	L																																																																
⑧	L																																																																
 B8	<table border="1"> <thead> <tr> <th>Type</th> <th>H82C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.60</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>N+E</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H82C	Oil q.ty (Lt.)	5.60	Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>N+E</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	L	③	L	④	N+E	⑤	L	⑦	L	⑧	L	 V5	<table border="1"> <thead> <tr> <th>Type</th> <th>H82C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>10.00</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>N+M+E</td></tr> <tr><td>⑧</td><td>B</td></tr> </table> </td> </tr> </tbody> </table>	Type	H82C	Oil q.ty (Lt.)	10.00	Standard	<table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>N+M+E</td></tr> <tr><td>⑧</td><td>B</td></tr> </table>	①	L	②	L	③	L	④	L	⑤	L	⑦	N+M+E	⑧	B	 V6	<table border="1"> <thead> <tr> <th>Type</th> <th>H82C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.50</td> </tr> <tr> <td>Standard</td> <td> <table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>N+E</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table> </td> </tr> </tbody> </table>	Type	H82C	Oil q.ty (Lt.)	5.50	Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>N+E</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	L	③	L	④	L	⑤	N+E	⑦	L	⑧	L
Type	H82C																																																																
Oil q.ty (Lt.)	5.60																																																																
Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>N+E</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	L	③	L	④	N+E	⑤	L	⑦	L	⑧	L																																																		
①	B																																																																
②	L																																																																
③	L																																																																
④	N+E																																																																
⑤	L																																																																
⑦	L																																																																
⑧	L																																																																
Type	H82C																																																																
Oil q.ty (Lt.)	10.00																																																																
Standard	<table border="1"> <tr><td>①</td><td>L</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>L</td></tr> <tr><td>⑦</td><td>N+M+E</td></tr> <tr><td>⑧</td><td>B</td></tr> </table>	①	L	②	L	③	L	④	L	⑤	L	⑦	N+M+E	⑧	B																																																		
①	L																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	L																																																																
⑦	N+M+E																																																																
⑧	B																																																																
Type	H82C																																																																
Oil q.ty (Lt.)	5.50																																																																
Standard	<table border="1"> <tr><td>①</td><td>B</td></tr> <tr><td>②</td><td>L</td></tr> <tr><td>③</td><td>L</td></tr> <tr><td>④</td><td>L</td></tr> <tr><td>⑤</td><td>N+E</td></tr> <tr><td>⑦</td><td>L</td></tr> <tr><td>⑧</td><td>L</td></tr> </table>	①	B	②	L	③	L	④	L	⑤	N+E	⑦	L	⑧	L																																																		
①	B																																																																
②	L																																																																
③	L																																																																
④	L																																																																
⑤	N+E																																																																
⑦	L																																																																
⑧	L																																																																

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug







● Level oil plug

OIL PLUG

 TO3/8LIA Allum. level plug 3/8	B	 TO3/8TPO Breather plug 3/8	E	 TO3/8SCA Allum. closed plug 3/8	L
 TO3/8C90 90° steel connect 3/8	M	 TO3/8PRO Steel extension 3/8	N		

MINERAL OIL	
Code	Description
LUOBLAM460 (Standard)	Eni Blasias 460 Shell Omala S2 GX460

Standard

 B3	<table border="1"> <thead> <tr> <th>Type</th> <th>H83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.80</td> </tr> <tr> <td rowspan="8">Standard</td> <td>① B</td> </tr> <tr> <td>② N+E</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> <tr> <td>⑧ L</td> </tr> </tbody> </table>	Type	H83C	Oil q.ty (Lt.)	5.80	Standard	① B	② N+E	③ L	④ L	⑤ L	⑥ L	⑦ L	⑧ L	 B6	<table border="1"> <thead> <tr> <th>Type</th> <th>H83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>7.10</td> </tr> <tr> <td rowspan="8">Standard</td> <td>① E</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ B</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> <tr> <td>⑧ L</td> </tr> </tbody> </table>	Type	H83C	Oil q.ty (Lt.)	7.10	Standard	① E	② L	③ L	④ L	⑤ B	⑥ L	⑦ L	⑧ L	 B7	<table border="1"> <thead> <tr> <th>Type</th> <th>H83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>8.20</td> </tr> <tr> <td rowspan="8">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ N+E</td> </tr> <tr> <td>④ B</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> <tr> <td>⑧ L</td> </tr> </tbody> </table>	Type	H83C	Oil q.ty (Lt.)	8.20	Standard	① L	② L	③ N+E	④ B	⑤ L	⑥ L	⑦ L	⑧ L
Type	H83C																																											
Oil q.ty (Lt.)	5.80																																											
Standard	① B																																											
	② N+E																																											
	③ L																																											
	④ L																																											
	⑤ L																																											
	⑥ L																																											
	⑦ L																																											
	⑧ L																																											
Type	H83C																																											
Oil q.ty (Lt.)	7.10																																											
Standard	① E																																											
	② L																																											
	③ L																																											
	④ L																																											
	⑤ B																																											
	⑥ L																																											
	⑦ L																																											
	⑧ L																																											
Type	H83C																																											
Oil q.ty (Lt.)	8.20																																											
Standard	① L																																											
	② L																																											
	③ N+E																																											
	④ B																																											
	⑤ L																																											
	⑥ L																																											
	⑦ L																																											
	⑧ L																																											
 B8	<table border="1"> <thead> <tr> <th>Type</th> <th>H83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.80</td> </tr> <tr> <td rowspan="8">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ N+E</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> <tr> <td>⑧ L</td> </tr> </tbody> </table>	Type	H83C	Oil q.ty (Lt.)	5.80	Standard	① B	② L	③ L	④ N+E	⑤ L	⑥ L	⑦ L	⑧ L	 V5	<table border="1"> <thead> <tr> <th>Type</th> <th>H83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>10.80</td> </tr> <tr> <td rowspan="8">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ E</td> </tr> <tr> <td>⑦ B</td> </tr> <tr> <td>⑧ L</td> </tr> </tbody> </table>	Type	H83C	Oil q.ty (Lt.)	10.80	Standard	① L	② L	③ L	④ L	⑤ L	⑥ E	⑦ B	⑧ L	 V6	<table border="1"> <thead> <tr> <th>Type</th> <th>H83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>6.00</td> </tr> <tr> <td rowspan="8">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> <tr> <td>⑧ L</td> </tr> </tbody> </table>	Type	H83C	Oil q.ty (Lt.)	6.00	Standard	① B	② L	③ L	④ L	⑤ N+E	⑥ L	⑦ L	⑧ L
Type	H83C																																											
Oil q.ty (Lt.)	5.80																																											
Standard	① B																																											
	② L																																											
	③ L																																											
	④ N+E																																											
	⑤ L																																											
	⑥ L																																											
	⑦ L																																											
	⑧ L																																											
Type	H83C																																											
Oil q.ty (Lt.)	10.80																																											
Standard	① L																																											
	② L																																											
	③ L																																											
	④ L																																											
	⑤ L																																											
	⑥ E																																											
	⑦ B																																											
	⑧ L																																											
Type	H83C																																											
Oil q.ty (Lt.)	6.00																																											
Standard	① B																																											
	② L																																											
	③ L																																											
	④ L																																											
	⑤ N+E																																											
	⑥ L																																											
	⑦ L																																											
	⑧ L																																											