

☐ These plugs are on the back side  
Tappi nel lato posteriore

▼ Filling & Breather  
Riempimento e sfiato

▼ Filling closed  
Chiuso

△ Emptying  
Scarico

● Level  
Livello


### Synthetic oil

Olio sintetico


Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

### Standard


Standard




Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	




Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	




Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	



Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	




Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	




Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	

### Combined


Combinato




Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	




Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	




Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	



Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	



Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	



Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	

□ These plugs are on the back side  
Tappi nel lato posteriore

▼ Filling & Breather  
Riempimento e sfiato

▼ Filling closed  
Chiuso

△ Emptying  
Scarico

● Level  
Livello

### Oil plug

Tappo olio



**H** TO1/8SCA  
Closed plug 1/8



**I** TO1/4SCA  
Closed plug 1/4


### Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320
	Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150
	Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


### Standard

Standard




B3

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I




B6

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I




B7

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I




B8

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I



V5

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I




V6

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I


### First stage

Precoppia




B3

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I




B6

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I




B7

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I




B8

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I



V5

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I



V6

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I

☐ These plugs are on the back side  
Tappi nel lato posteriore

▼ Filling & Breather  
Riempimento e sfiato

▼ Filling closed  
Chiuso

△ Emptying  
Scarico

● Level  
Livello

### Oil plug

Tappo olio



I TO1/4SCA  
Closed plug 1/4


### Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


### Combined

Combinato




B3

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I




B6

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I




B7

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I




B8

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I



V5

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I



V6

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I

☐ These plugs are on the back side  
Tappi nel lato posteriore

▼ Filling & Breather  
Riempimento e sfiato

▼ Filling closed  
Chiuso

△ Emptying  
Scarico

● Level  
Livello

### Oil plug

Tappo olio



**H** T01/8SCA  
Closed plug 1/8



**I** T01/4SCA  
Closed plug 1/4


### Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


## Standard

Standard




B3

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I




B6

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I




B7

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I




B8

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I



V5

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I




V6

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I


## First stage

Precoppia




B3

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I




B6

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I




B7

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I




B8

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I



V5

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I



V6

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I

☐ These plugs are on the back side  
Tappi nel lato posteriore

▼ Filling & Breather  
Riempimento e sfiato

▼ Filling closed  
Chiuso

△ Emptying  
Scarico

● Level  
Livello

### Oil plug

Tappo olio



I TO1/4SCA  
Closed plug 1/4


### Synthetic oil

Olio sintetico


Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

### Combined


Combinato




Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I




Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I




Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I



Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I



Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I



Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I

☐ These plugs are on the back side  
Tappi nel lato posteriore

▼ Filling & Breather  
Riempimento e sfiato

▼ Filling closed  
Chiuso

△ Emptying  
Scarico

● Level  
Livello

### Oil plug

Tappo olio

### Synthetic oil

Olio sintetico



**H** T01/8SCA  
Closed plug 1/8




**I** T01/4SCA  
Closed plug 1/4

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


## Standard

Standard




**B3**

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I




**B6**

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I




**B7**

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I




**B8**

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I



**V5**

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I




**V6**

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I


## First stage

Precoppia




**B3**

Type	D63+211D
Oil q.ty (Lt.) <b>A</b>	0.05
Oil q.ty (Lt.) <b>B</b>	0.40
Standard	② H
On request	① I




**B6**

Type	D63+211D
Oil q.ty (Lt.) <b>A</b>	0.05
Oil q.ty (Lt.) <b>B</b>	0.40
Standard	② H
On request	① I




**B7**

Type	D63+211D
Oil q.ty (Lt.) <b>A</b>	0.05
Oil q.ty (Lt.) <b>B</b>	0.40
Standard	② H
On request	① I




**B8**

Type	D63+211D
Oil q.ty (Lt.) <b>A</b>	0.05
Oil q.ty (Lt.) <b>B</b>	0.40
Standard	② H
On request	① I



**V5**

Type	D63+211D
Oil q.ty (Lt.) <b>A</b>	0.05
Oil q.ty (Lt.) <b>B</b>	0.40
Standard	② H
On request	① I



**V6**

Type	D63+211D
Oil q.ty (Lt.) <b>A</b>	0.05
Oil q.ty (Lt.) <b>B</b>	0.40
Standard	② H
On request	① I

☐ These plugs are on the back side  
Tappi nel lato posteriore

▼ Filling & Breather  
Riempimento e sfiato

▼ Filling closed  
Chiuso

△ Emptying  
Scarico

● Level  
Livello

### Oil plug

Tappo olio



I T01/4SCA  
Closed plug 1/4


### Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


## Combined

Combinato




B3

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I




B6

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I




B7

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I




B8

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I



V5

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I




V6

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I


## Combined

Combinato




B3

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I




B6

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I




B7

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I




B8

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I



V5

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I



V6

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request ①	I

☐ These plugs are on the back side  
Tappi nel lato posteriore

▼ Filling & Breather  
Riempimento e sfiato

▼ Filling closed  
Chiuso

△ Emptying  
Scarico

● Level  
Livello

### Oil plug

Tappo olio



**H** T01/8SCA  
Closed plug 1/8



**L** T03/8SCA  
Closed plug 3/8


### Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


## Standard

Standard




**B3**

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L




**B6**

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L




**B7**

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L




**B8**

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L



**V5**

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L




**V6**

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L


## First stage

Precoppia




**B3**

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L




**B6**

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L




**B7**

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L




**B8**

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L



**V5**

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L



**V6**

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L

□ These plugs are on the back side  
Tappi nel lato posteriore

▼ Filling & Breather  
Riempimento e sfiato

▼ Filling closed  
Chiuso

△ Emptying  
Scarico

● Level  
Livello

### Oil plug

Tappo olio



**I** TO1/4SCA  
Closed plug 1/4



**L** TO3/8SCA  
Closed plug 3/8


### Synthetic oil

Olio sintetico


Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

### Combined


Combinato




Type	8D4
Oil q.ty (Lt.) <b>A</b>	0.09
Oil q.ty (Lt.) <b>B</b>	1.20
Standard without oil plug	
On request	① I ② L




Type	8D4
Oil q.ty (Lt.) <b>A</b>	0.09
Oil q.ty (Lt.) <b>B</b>	1.20
Standard without oil plug	
On request	① I ② L




Type	8D4
Oil q.ty (Lt.) <b>A</b>	0.09
Oil q.ty (Lt.) <b>B</b>	1.20
Standard without oil plug	
On request	① I ② L



Type	8D4
Oil q.ty (Lt.) <b>A</b>	0.09
Oil q.ty (Lt.) <b>B</b>	1.20
Standard without oil plug	
On request	① I ② L



Type	8D4
Oil q.ty (Lt.) <b>A</b>	0.09
Oil q.ty (Lt.) <b>B</b>	1.20
Standard without oil plug	
On request	① I ② L



Type	8D4
Oil q.ty (Lt.) <b>A</b>	0.09
Oil q.ty (Lt.) <b>B</b>	1.20
Standard without oil plug	
On request	① I ② L