

LUBRICATION / LUBRIFICAZIONE

EN

I

ANGLETECH - BEVEL HELICAL GEAR

The units X22S, X32S - X33S, X42A - X43A, X52A - X53A, X62A - X63A, 113C - 114C and X73A - X74A are supplied with synthetic oil for lifetime lubrication, no maintenance is necessary.

Please specify in the order the mounting position.

The units 133C - 134C, X83C - X84C, X93C - X94C, X103 - X104 and X113 - X114 are supplied without lubricant and equipped with a breather, level and drain plugs.

User can add mineral oil keeping existing plugs.

Should the user wish to fill it with synthetic oil, it is recommended to replace the existing plugs with a closed plug.

The table hereafter must be referred to as for the mounting position pattern and the corresponding oil plugs, if applicable, and related lubricant quantity.

These quantity are only indicative; to ensure correct filling, always refer to the centreline of the sight glass.

In some cases, discrepancies, occasionally also substantial, versus the oil quantities listed in the chart may be noticed.

ANGLETECH - RIDUTTORI A COPPIA CONICA

I riduttori X22S, X32S - X33S, X42A - X43A, X52A - X53A, X62A - X63A, 113C - 114C e X73A - X74A sono forniti completi di olio sintetico per la lubrificazione permanente e non necessita di alcuna manutenzione.

Specificare in fase d'ordine la posizione di montaggio.

I riduttori 133C - 134C, X83C - X84C, X93C - X94C, X103 - X104 e X113 - X114 sono forniti privi di lubrificazione con tappi di sfiato, livello e scarico olio. L'utente può immettere olio minerale mantenendo i tappi esistenti. Se immetterà olio sintetico, dovrà sostituire i tappi esistenti con altri tipo chiuso.

Nelle tabelle sottostanti vengono rappresentate le posizioni di montaggio, la disposizione dei tappi olio e le relative quantità.

Le quantità di lubrificante sono indicative; per avere il corretto quantitativo di lubrificante si dovrà dare attinenza esclusivamente alla mezzera del tappo livello o allo sfioramento del foro del tappo, quando presenti.

Tenendo in considerazione quanto appena sostenuto la quantità di lubrificante indicata in tabella può presentare delle differenze, occasionalmente anche rilevanti.

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug


● Level oil plug

OIL PLUG




| SYNTHETIC OIL | |
|---------------------------------|--|
| Code | Description |
| LUOTVSF320 (Standard) | Shell Omala S4 WE320 Eni Tellium VSF320 |
| LUOBLAS150 (Low temperature) | Shell Omala S4 WE150 Eni Blasias S150 |
| LUOFOOD320 (Food) | Mobil SHC Cibus 320 |


Standard




| Type | X22S |
|---------------------------|------|
| Oil q.ty (Lt.) | 0.25 |
| Standard without oil plug | |
| On request | ① I |




| Type | X22S |
|---------------------------|------|
| Oil q.ty (Lt.) | 0.25 |
| Standard without oil plug | |
| On request | ① I |




| Type | X22S |
|---------------------------|------|
| Oil q.ty (Lt.) | 0.25 |
| Standard without oil plug | |
| On request | ① I |



| Type | X22S |
|---------------------------|------|
| Oil q.ty (Lt.) | 0.25 |
| Standard without oil plug | |
| On request | ① I |



| Type | X22S |
|---------------------------|------|
| Oil q.ty (Lt.) | 0.43 |
| Standard without oil plug | |
| On request | ① I |



| Type | X22S |
|---------------------------|------|
| Oil q.ty (Lt.) | 0.31 |
| Standard without oil plug | |
| On request | ① I |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug

● Level oil plug

OIL PLUG




TO1/4SCA
Allum. closed plug 1/4


SYNTHETIC OIL

| Code | Description |
|---------------------------------|--|
| LUOTVSF320 (Standard) | Shell Omala S4 WE320 Eni Tellium VSF320 |
| LUOBLAS150 (Low temperature) | Shell Omala S4 WE150 Eni Blasia S150 |
| LUOFOOD320 (Food) | Mobil SHC Cibus 320 |


Standard




| Type | X32S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.40 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X32S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.60 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X32S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.40 |
| Standard 1 oil plug type I | |
| Standard | ① I |



| Type | X32S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.60 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X32S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.85 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X32S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.60 |
| Standard 1 oil plug type I | |
| Standard | ① I |


Standard




| Type | X33S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.70 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X33S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.65 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X33S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.40 |
| Standard 1 oil plug type I | |
| Standard | ① I |



| Type | X33S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.65 |
| Standard 1 oil plug type I | |
| Standard | ① I |



| Type | X33S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.95 |
| Standard 1 oil plug type I | |
| Standard | ① I |



| Type | X33S |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.65 |
| Standard 1 oil plug type I | |
| Standard | ① I |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug

● Level oil plug

OIL PLUG




TO1/4SCA
Allum. closed plug 1/4


SYNTHETIC OIL

| Code | Description |
|---------------------------------|---|
| LUOTVSF320 (Standard) | Shell Omala S4 WE320 Eni Telium VSF320 |
| LUOBLAS150 (Low temperature) | Shell Omala S4 WE150 Eni Blasia S150 |
| LUOFOOD320 (Food) | Mobil SHC Cibus 320 |


Standard




| Type | X42A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.60 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X42A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.75 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X42A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.50 |
| Standard 1 oil plug type I | |
| Standard | ① I |



| Type | X42A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.70 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X42A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.10 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X42A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.60 |
| Standard 1 oil plug type I | |
| Standard | ① I |


Standard




| Type | X43A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.80 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X43A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.80 |
| Standard 1 oil plug type I | |
| Standard | ① I |




| Type | X43A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.60 |
| Standard 1 oil plug type I | |
| Standard | ① I |



| Type | X43A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.80 |
| Standard 1 oil plug type I | |
| Standard | ① I |



| Type | X43A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.20 |
| Standard 1 oil plug type I | |
| Standard | ① I |



| Type | X43A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.70 |
| Standard 1 oil plug type I | |
| Standard | ① I |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug


● Level oil plug

OIL PLUG




| SYNTHETIC OIL | |
|---------------------------------|--|
| Code | Description |
| LUOTVSF320 (Standard) | Shell Omala S4 WE320 Eni Tellium VSF320 |
| LUOBLAS150 (Low temperature) | Shell Omala S4 WE150 Eni Blasia S150 |
| LUOFOOD320 (Food) | Mobil SHC Cibus 320 |


Standard




| Type | X52A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.90 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X52A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.50 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X52A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.75 |
| Standard 1 oil plug type L | |
| Standard | ① L |



| Type | X52A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.40 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X52A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.95 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X52A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.15 |
| Standard 1 oil plug type L | |
| Standard | ① L |


Standard




| Type | X53A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.30 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X53A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.55 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X53A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.85 |
| Standard 1 oil plug type L | |
| Standard | ① L |



| Type | X53A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.45 |
| Standard 1 oil plug type L | |
| Standard | ① L |



| Type | X53A |
|----------------------------|------|
| Oil q.ty (Lt.) | 2.10 |
| Standard 1 oil plug type L | |
| Standard | ① L |



| Type | X53A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.25 |
| Standard 1 oil plug type L | |
| Standard | ① L |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug


● Level oil plug

OIL PLUG




| SYNTHETIC OIL | |
|---------------------------------|--|
| Code | Description |
| LUOTVSF320 (Standard) | Shell Omala S4 WE320 Eni Tellium VSF320 |
| LUOBLAS150 (Low temperature) | Shell Omala S4 WE150 Eni Blasia S150 |
| LUOFOOD320 (Food) | Mobil SHC Cibus 320 |


Standard




| Type | X62A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.25 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X62A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.70 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X62A |
|----------------------------|------|
| Oil q.ty (Lt.) | 0.95 |
| Standard 1 oil plug type L | |
| Standard | ① L |



| Type | X62A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.60 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X62A |
|----------------------------|------|
| Oil q.ty (Lt.) | 2.45 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X62A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.50 |
| Standard 1 oil plug type L | |
| Standard | ① L |


Standard




| Type | X63A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.80 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X63A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.80 |
| Standard 1 oil plug type L | |
| Standard | ① L |




| Type | X63A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.05 |
| Standard 1 oil plug type L | |
| Standard | ① L |



| Type | X63A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.70 |
| Standard 1 oil plug type L | |
| Standard | ① L |



| Type | X63A |
|----------------------------|------|
| Oil q.ty (Lt.) | 2.60 |
| Standard 1 oil plug type L | |
| Standard | ① L |



| Type | X63A |
|----------------------------|------|
| Oil q.ty (Lt.) | 1.65 |
| Standard 1 oil plug type L | |
| Standard | ① L |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug







○ Level oil plug

OIL PLUG







| | | |
|---|---|--|
|  TO3/8LIA Allum. level plug 3/8 |  TO3/8TPO Breather plug 3/8 |  TO3/8SCA Allum. closed plug 3/8 |
|  TO3/8PRO Steel extension 3/8 | | |

| SYNTHETIC OIL | |
|------------------------------|--|
| Code | Description |
| LUOTVSF320 (Standard) | Shell Omala S4 WE320 Eni Tellium VSF320 |
| LUOBLAS150 (Low temperature) | Shell Omala S4 WE150 Eni Blasias S150 |
| LUOFOOD320 (Food) | Mobil SHC Cibus 320 |

Standard

|  B3 | <table border="1"> <tr> <th>Type</th> <th>X73C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.45</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>E</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>B</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X73C | Oil q.ty (Lt.) | 2.45 | ⑥ Standard 1 plug type L | | On request | | ① | E | ② | L | ③ | B | ④ | L | ⑤ | L | ⑥ | L |  B6 | <table border="1"> <tr> <th>Type</th> <th>X73C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.55</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>E</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X73C | Oil q.ty (Lt.) | 2.55 | ⑥ Standard 1 plug type L | | On request | | ① | B | ② | L | ③ | E | ④ | L | ⑤ | L | ⑥ | L |  B7 | <table border="1"> <tr> <th>Type</th> <th>X73C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>1.80</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>N+E</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X73C | Oil q.ty (Lt.) | 1.80 | ⑥ Standard 1 plug type L | | On request | | ① | B | ② | L | ③ | L | ④ | L | ⑤ | N+E | ⑥ | L |
|--|---|------|------|----------------|------|--------------------------|--|------------|--|---|---|---|---|---|---|---|-----|---|---|---|---|---|---|------|------|----------------|------|--------------------------|--|------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------|------|----------------|------|--------------------------|--|------------|--|---|---|---|---|---|---|---|---|---|-----|---|---|
| Type | X73C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X73C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X73C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 1.80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  B8 | <table border="1"> <tr> <th>Type</th> <th>X73C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>1.95</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>B</td> </tr> <tr> <td>④</td> <td>N+E</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X73C | Oil q.ty (Lt.) | 1.95 | ⑥ Standard 1 plug type L | | On request | | ① | L | ② | L | ③ | B | ④ | N+E | ⑤ | L | ⑥ | L |  V5 | <table border="1"> <tr> <th>Type</th> <th>X73C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>4.05</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>E</td> </tr> </table> | Type | X73C | Oil q.ty (Lt.) | 4.05 | ⑥ Standard 1 plug type L | | On request | | ① | L | ② | L | ③ | L | ④ | L | ⑤ | L | ⑥ | E |  V6 | <table border="1"> <tr> <th>Type</th> <th>X73C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.55</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>E</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>B</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X73C | Oil q.ty (Lt.) | 2.55 | ⑥ Standard 1 plug type L | | On request | | ① | E | ② | L | ③ | L | ④ | L | ⑤ | B | ⑥ | L |
| Type | X73C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 1.95 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X73C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X73C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Standard

|  B3 | <table border="1"> <tr> <th>Type</th> <th>X74C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>3.55</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>E</td> </tr> <tr> <td>②</td> <td>B</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X74C | Oil q.ty (Lt.) | 3.55 | ⑥ Standard 1 plug type L | | On request | | ① | E | ② | B | ③ | L | ④ | L | ⑤ | L | ⑥ | L |  B6 | <table border="1"> <tr> <th>Type</th> <th>X74C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.65</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>E</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X74C | Oil q.ty (Lt.) | 2.65 | ⑥ Standard 1 plug type L | | On request | | ① | B | ② | L | ③ | E | ④ | L | ⑤ | L | ⑥ | L |  B7 | <table border="1"> <tr> <th>Type</th> <th>X74C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>1.90</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>B</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>N+E</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X74C | Oil q.ty (Lt.) | 1.90 | ⑥ Standard 1 plug type L | | On request | | ① | B | ② | L | ③ | L | ④ | L | ⑤ | N+E | ⑥ | L |
|---|---|------|------|----------------|------|--------------------------|--|------------|--|---|---|---|---|---|---|---|-----|---|---|---|---|--|---|------|------|----------------|------|--------------------------|--|------------|--|---|---|---|---|---|---|---|---|---|---|---|---|--|---|------|------|----------------|------|--------------------------|--|------------|--|---|---|---|---|---|---|---|---|---|-----|---|---|
| Type | X74C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 3.55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X74C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X74C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 1.90 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  B8 | <table border="1"> <tr> <th>Type</th> <th>X74C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.05</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>B</td> </tr> <tr> <td>④</td> <td>N+E</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X74C | Oil q.ty (Lt.) | 2.05 | ⑥ Standard 1 plug type L | | On request | | ① | L | ② | L | ③ | B | ④ | N+E | ⑤ | L | ⑥ | L |  V5 | <table border="1"> <tr> <th>Type</th> <th>X74C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>4.25</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>L</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>L</td> </tr> <tr> <td>⑥</td> <td>E</td> </tr> </table> | Type | X74C | Oil q.ty (Lt.) | 4.25 | ⑥ Standard 1 plug type L | | On request | | ① | L | ② | L | ③ | L | ④ | L | ⑤ | L | ⑥ | E |  V6 | <table border="1"> <tr> <th>Type</th> <th>X74C</th> </tr> <tr> <td>Oil q.ty (Lt.)</td> <td>2.65</td> </tr> <tr> <td>⑥ Standard 1 plug type L</td> <td></td> </tr> <tr> <td>On request</td> <td></td> </tr> <tr> <td>①</td> <td>E</td> </tr> <tr> <td>②</td> <td>L</td> </tr> <tr> <td>③</td> <td>L</td> </tr> <tr> <td>④</td> <td>L</td> </tr> <tr> <td>⑤</td> <td>B</td> </tr> <tr> <td>⑥</td> <td>L</td> </tr> </table> | Type | X74C | Oil q.ty (Lt.) | 2.65 | ⑥ Standard 1 plug type L | | On request | | ① | E | ② | L | ③ | L | ④ | L | ⑤ | B | ⑥ | L |
| Type | X74C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X74C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X74C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ Standard 1 plug type L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| On request | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ① | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ② | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑥ | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug







● Level oil plug

OIL PLUG







| | | |
|---|---|--|
|  TO3/8LIA Allum. level plug 3/8 |  TO3/8TPO Breather plug 3/8 |  TO3/8SCA Allum. closed plug 3/8 |
|  TO3/8PRO Steel extension 3/8 | | |

| MINERAL OIL | |
|--------------------------|--|
| Code | Description |
| LUOBLAM460 (Standard) | Eni Blasia 460 Shell Omala S2 GX460 |

Standard

|  B3 | <table border="1"> <thead> <tr> <th>Type</th> <th>X83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.80</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① E</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X83C | Oil q.ty (Lt.) | 2.80 | Standard | ① E | ② L | ③ B | ④ L | ⑤ L | ⑥ L |  B6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>3.10</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ E</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X83C | Oil q.ty (Lt.) | 3.10 | Standard | ① B | ② L | ③ E | ④ L | ⑤ L | ⑥ L |  B7 | <table border="1"> <thead> <tr> <th>Type</th> <th>X83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.00</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X83C | Oil q.ty (Lt.) | 2.00 | Standard | ① B | ② L | ③ L | ④ L | ⑤ N+E | ⑥ L |
|--|---|------|------|----------------|------|----------|-----|-----|-----|-------|-----|-----|---|---|------|------|----------------|------|----------|-----|-----|-----|-----|-----|-----|---|---|------|------|----------------|------|----------|-----|-----|-----|-----|-------|-----|
| Type | X83C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X83C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 3.10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X83C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  B8 | <table border="1"> <thead> <tr> <th>Type</th> <th>X83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.50</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ N+E</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X83C | Oil q.ty (Lt.) | 2.50 | Standard | ① L | ② L | ③ B | ④ N+E | ⑤ L | ⑥ L |  V5 | <table border="1"> <thead> <tr> <th>Type</th> <th>X83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>4.95</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ E</td> </tr> </tbody> </table> | Type | X83C | Oil q.ty (Lt.) | 4.95 | Standard | ① L | ② L | ③ L | ④ L | ⑤ L | ⑥ E |  V6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X83C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.80</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① E</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ B</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X83C | Oil q.ty (Lt.) | 2.80 | Standard | ① E | ② L | ③ L | ④ L | ⑤ B | ⑥ L |
| Type | X83C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X83C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.95 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X83C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Standard

|  B3 | <table border="1"> <thead> <tr> <th>Type</th> <th>X84C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>4.25</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① E</td> </tr> <tr> <td>② B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X84C | Oil q.ty (Lt.) | 4.25 | Standard | ① E | ② B | ③ L | ④ L | ⑤ L | ⑥ L |  B6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X84C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>3.20</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ E</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X84C | Oil q.ty (Lt.) | 3.20 | Standard | ① B | ② L | ③ E | ④ L | ⑤ L | ⑥ L |  B7 | <table border="1"> <thead> <tr> <th>Type</th> <th>X84C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.10</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X84C | Oil q.ty (Lt.) | 2.10 | Standard | ① B | ② L | ③ L | ④ L | ⑤ N+E | ⑥ L |
|---|---|------|------|----------------|------|----------|-----|-----|-----|-------|-----|-----|--|---|------|------|----------------|------|----------|-----|-----|-----|-----|-----|-----|--|---|------|------|----------------|------|----------|-----|-----|-----|-----|-------|-----|
| Type | X84C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X84C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 3.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X84C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  B8 | <table border="1"> <thead> <tr> <th>Type</th> <th>X84C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.60</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ N+E</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X84C | Oil q.ty (Lt.) | 2.60 | Standard | ① L | ② L | ③ B | ④ N+E | ⑤ L | ⑥ L |  V5 | <table border="1"> <thead> <tr> <th>Type</th> <th>X84C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.20</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ E</td> </tr> </tbody> </table> | Type | X84C | Oil q.ty (Lt.) | 5.20 | Standard | ① L | ② L | ③ L | ④ L | ⑤ L | ⑥ E |  V6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X84C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>2.90</td> </tr> <tr> <td rowspan="6">Standard</td> <td>① E</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ B</td> </tr> <tr> <td>⑥ L</td> </tr> </tbody> </table> | Type | X84C | Oil q.ty (Lt.) | 2.90 | Standard | ① E | ② L | ③ L | ④ L | ⑤ B | ⑥ L |
| Type | X84C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X84C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 5.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X84C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 2.90 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug







● Level oil plug

OIL PLUG







| | | |
|---|---|--|
|  TO3/8LIA Allum. level plug 3/8 |  TO3/8TPO Breather plug 3/8 |  TO3/8SCA Allum. closed plug 3/8 |
|  TO3/8C90 90° steel connect 3/8 |  TO3/8PRO Steel extension 3/8 | |

| MINERAL OIL | |
|--------------------------|--|
| Code | Description |
| LUOBLAM460 (Standard) | Eni Blasia 460 Shell Omala S2 GX460 |

Standard

|  B3 | <table border="1"> <thead> <tr> <th>Type</th> <th>X93C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>4.20</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① E</td> </tr> <tr> <td>② B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X93C | Oil q.ty (Lt.) | 4.20 | Standard | ① E | ② B | ③ L | ④ L | ⑤ L | ⑥ L | ⑦ L |  B6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X93C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>3.60</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ E</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X93C | Oil q.ty (Lt.) | 3.60 | Standard | ① B | ② L | ③ E | ④ L | ⑤ L | ⑥ L | ⑦ L |  B7 | <table border="1"> <thead> <tr> <th>Type</th> <th>X93C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>4.40</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X93C | Oil q.ty (Lt.) | 4.40 | Standard | ① B | ② L | ③ L | ④ L | ⑤ N+E | ⑥ L | ⑦ L |
|---|---|------|------|----------------|------|----------|-----|-----|-----|-------|-----|-----|-----|---|---|------|------|----------------|------|----------|-----|-----|-----|-----|-----|---------|---------|---|---|------|------|----------------|------|----------|-----|-----|-----|-----|-------|-----|-----|
| Type | X93C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X93C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 3.60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X93C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  B8 | <table border="1"> <thead> <tr> <th>Type</th> <th>X93C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.10</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ N+E</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X93C | Oil q.ty (Lt.) | 5.10 | Standard | ① L | ② L | ③ B | ④ N+E | ⑤ L | ⑥ L | ⑦ L |  V5 | <table border="1"> <thead> <tr> <th>Type</th> <th>X93C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>6.90</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ M+N+E</td> </tr> <tr> <td>⑦ M+N+E</td> </tr> </tbody> </table> | Type | X93C | Oil q.ty (Lt.) | 6.90 | Standard | ① L | ② L | ③ B | ④ L | ⑤ L | ⑥ M+N+E | ⑦ M+N+E |  V6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X93C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.00</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① E</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ B</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X93C | Oil q.ty (Lt.) | 5.00 | Standard | ① E | ② L | ③ L | ④ L | ⑤ B | ⑥ L | ⑦ L |
| Type | X93C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 5.10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X93C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 6.90 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ M+N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ M+N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X93C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 5.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Standard

|  B3 | <table border="1"> <thead> <tr> <th>Type</th> <th>X94C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>4.50</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① E</td> </tr> <tr> <td>② B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X94C | Oil q.ty (Lt.) | 4.50 | Standard | ① E | ② B | ③ L | ④ L | ⑤ L | ⑥ L | ⑦ L |  B6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X94C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>3.80</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ E</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X94C | Oil q.ty (Lt.) | 3.80 | Standard | ① B | ② L | ③ E | ④ L | ⑤ L | ⑥ L | ⑦ L |  B7 | <table border="1"> <thead> <tr> <th>Type</th> <th>X94C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>4.50</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① B</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X94C | Oil q.ty (Lt.) | 4.50 | Standard | ① B | ② L | ③ L | ④ L | ⑤ N+E | ⑥ L | ⑦ L |
|--|---|------|------|----------------|------|----------|-----|-----|-----|-------|-----|-----|-----|--|---|------|------|----------------|------|----------|-----|-----|-----|-----|-----|-----|-----|--|---|------|------|----------------|------|----------|-----|-----|-----|-----|-------|-----|-----|
| Type | X94C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X94C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 3.80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X94C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  B8 | <table border="1"> <thead> <tr> <th>Type</th> <th>X94C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.30</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ N+E</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X94C | Oil q.ty (Lt.) | 5.30 | Standard | ① L | ② L | ③ B | ④ N+E | ⑤ L | ⑥ L | ⑦ L |  V5 | <table border="1"> <thead> <tr> <th>Type</th> <th>X94C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>7.60</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① L</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑥ E</td> </tr> <tr> <td>⑦ B</td> </tr> </tbody> </table> | Type | X94C | Oil q.ty (Lt.) | 7.60 | Standard | ① L | ② L | ③ L | ④ L | ⑤ L | ⑥ E | ⑦ B |  V6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X94C</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.30</td> </tr> <tr> <td rowspan="7">Standard</td> <td>① E</td> </tr> <tr> <td>② L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ B</td> </tr> <tr> <td>⑥ L</td> </tr> <tr> <td>⑦ L</td> </tr> </tbody> </table> | Type | X94C | Oil q.ty (Lt.) | 5.30 | Standard | ① E | ② L | ③ L | ④ L | ⑤ B | ⑥ L | ⑦ L |
| Type | X94C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 5.30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X94C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 7.60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | X94C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 5.30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ② L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑥ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑦ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▽ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug




● Level oil plug




OIL PLUG

| | | |
|---|---|--|
|  TO1/2LIA Allum. level plug 1/2 |  TO1/2TPO Breather plug 1/2 |  TO1/2SCA Allum. closed plug 1/2 |
|  TO1/2C90 90° steel connect 1/2 |  TO1/2PRO Steel extension 1/2 | |




| MINERAL OIL | |
|--------------------------|--|
| Code | Description |
| LUOBLAM460 (Standard) | Eni Blasia 460 Shell Omala S2 GX460 |




Standard

|  B3 | <table border="1"> <thead> <tr> <th>Type</th> <th>X103</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>11.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① E</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X103 | Oil q.ty (Lt.) | 11.50 | Standard | ① E | ③ B | ④ L | ⑤ L | ⑧ L | ⑨ L |  B6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X103</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>5.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ N+E</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X103 | Oil q.ty (Lt.) | 5.50 | Standard | ① B | ③ L | ④ N+E | ⑤ L | ⑧ L | ⑨ L |  B7 | <table border="1"> <thead> <tr> <th>Type</th> <th>X103</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>10.5</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X103 | Oil q.ty (Lt.) | 10.5 | Standard | ① B | ③ L | ④ L | ⑤ N+E | ⑧ L | ⑨ L |
|--|--|------|------|----------------|-------|----------|-----|-----|-----|-----|-----|-----|--|---|------|------|----------------|------|----------|-----|-----|-------|-----|-----|-----|--|---|------|------|----------------|------|----------|-----|-----|-----|-------|-----|-----|
| Type | X103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 11.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Type | X103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Oil q.ty (Lt.) | 5.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | | X103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | | 10.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

|  B8 | <table border="1"> <thead> <tr> <th>Type</th> <th>X103</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>7.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ B</td> </tr> </tbody> </table> | Type | X103 | Oil q.ty (Lt.) | 7.50 | Standard | ① L | ③ L | ④ L | ⑤ N+E | ⑧ L | ⑨ B |  V5 | <table border="1"> <thead> <tr> <th>Type</th> <th>X103</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>13.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ M+E</td> </tr> <tr> <td>⑨ B</td> </tr> </tbody> </table> | Type | X103 | Oil q.ty (Lt.) | 13.50 | Standard | ① L | ③ L | ④ L | ⑤ L | ⑧ M+E | ⑨ B |  V6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X103</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>9.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① E</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ B</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X103 | Oil q.ty (Lt.) | 9.50 | Standard | ① E | ③ L | ④ L | ⑤ B | ⑧ L | ⑨ L |
|---|---|-------|------|----------------|------|----------|-----|-----|-----|-------|-----|-----|---|--|------|------|----------------|-------|----------|-----|-----|-----|-----|-------|-----|---|---|------|------|----------------|------|----------|-----|-----|-----|-----|-----|-----|
| Type | X103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 7.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Type | X103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Oil q.ty (Lt.) | 13.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑧ M+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑨ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | | X103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | | 9.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Standard

|  B3 | <table border="1"> <thead> <tr> <th>Type</th> <th>X104</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>12.00</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① E</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X104 | Oil q.ty (Lt.) | 12.00 | Standard | ① E | ③ B | ④ L | ⑤ L | ⑧ L | ⑨ L |  B6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X104</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>6.00</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ N+E</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X104 | Oil q.ty (Lt.) | 6.00 | Standard | ① B | ③ L | ④ N+E | ⑤ L | ⑧ L | ⑨ L |  B7 | <table border="1"> <thead> <tr> <th>Type</th> <th>X104</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>11.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X104 | Oil q.ty (Lt.) | 11.50 | Standard | ① B | ③ L | ④ L | ⑤ N+E | ⑧ L | ⑨ L |
|--|--|-------|------|----------------|-------|----------|-----|-----|-----|-----|-----|-----|--|---|------|------|----------------|------|----------|-----|-----|-------|-----|-----|-----|--|--|------|------|----------------|-------|----------|-----|-----|-----|-------|-----|-----|
| Type | X104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 12.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Type | X104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Oil q.ty (Lt.) | 6.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | | X104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | | 11.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

|  B8 | <table border="1"> <thead> <tr> <th>Type</th> <th>X104</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>8.00</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑧ B</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X104 | Oil q.ty (Lt.) | 8.00 | Standard | ① L | ③ L | ④ L | ⑤ N+E | ⑧ B | ⑨ L |  V5 | <table border="1"> <thead> <tr> <th>Type</th> <th>X104</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>14.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ M+E</td> </tr> <tr> <td>⑨ B</td> </tr> </tbody> </table> | Type | X104 | Oil q.ty (Lt.) | 14.50 | Standard | ① L | ③ L | ④ L | ⑤ L | ⑧ M+E | ⑨ B |  V6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X104</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>11.00</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① E</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ B</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X104 | Oil q.ty (Lt.) | 11.00 | Standard | ① E | ③ L | ④ L | ⑤ B | ⑧ L | ⑨ L |
|--|---|-------|------|----------------|------|----------|-----|-----|-----|-------|-----|-----|--|--|------|------|----------------|-------|----------|-----|-----|-----|-----|-------|-----|--|--|------|------|----------------|-------|----------|-----|-----|-----|-----|-----|-----|
| Type | X104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 8.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Type | X104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Oil q.ty (Lt.) | 14.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑧ M+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑨ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | | X104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | | 11.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▼ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug




● Level oil plug




OIL PLUG

| | | | | | |
|---|----------|---|----------|--|----------|
|  TO1/2LIA Allum. level plug 1/2 | B |  TO1/2TPO Breather plug 1/2 | E |  TO1/2SCA Allum. closed plug 1/2 | L |
|  TO1/2C90 90° steel connect 1/2 | M |  TO1/2PRO Steel extension 1/2 | N | | |




| MINERAL OIL | |
|--------------------------|--|
| Code | Description |
| LUOBLAM460 (Standard) | Eni Blasia 460 Shell Omala S2 GX460 |




Standard

|  B3 | <table border="1"> <thead> <tr> <th>Type</th> <th>X113</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>13.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① E</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X113 | Oil q.ty (Lt.) | 13.50 | Standard | ① E | ③ B | ④ L | ⑤ L | ⑧ L | ⑨ L |  B6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X113</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>8.00</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ N+E</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X113 | Oil q.ty (Lt.) | 8.00 | Standard | ① B | ③ L | ④ N+E | ⑤ L | ⑧ L | ⑨ L |  B7 | <table border="1"> <thead> <tr> <th>Type</th> <th>X113</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>15.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X113 | Oil q.ty (Lt.) | 15.50 | Standard | ① B | ③ L | ④ L | ⑤ N+E | ⑧ L | ⑨ L |
|--|--|-------|------|----------------|-------|----------|-----|-----|-----|-----|-----|-----|--|---|------|------|----------------|------|----------|-----|-----|-------|-----|-----|-----|--|--|------|------|----------------|-------|----------|-----|-----|-----|-------|-----|-----|
| Type | X113 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 13.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Type | X113 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Oil q.ty (Lt.) | 8.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | | X113 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | | 15.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

|  B8 | <table border="1"> <thead> <tr> <th>Type</th> <th>X113</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>14.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ B</td> </tr> </tbody> </table> | Type | X113 | Oil q.ty (Lt.) | 14.50 | Standard | ① L | ③ L | ④ L | ⑤ N+E | ⑧ L | ⑨ B |  V5 | <table border="1"> <thead> <tr> <th>Type</th> <th>X113</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>22.00</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ M+E</td> </tr> <tr> <td>⑨ B</td> </tr> </tbody> </table> | Type | X113 | Oil q.ty (Lt.) | 22.00 | Standard | ① L | ③ L | ④ L | ⑤ L | ⑧ M+E | ⑨ B |  V6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X113</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>13.00</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① E</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ B</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X113 | Oil q.ty (Lt.) | 13.00 | Standard | ① E | ③ L | ④ L | ⑤ B | ⑧ L | ⑨ L |
|---|--|-------|------|----------------|-------|----------|-----|-----|-----|-------|-----|-----|---|--|------|------|----------------|-------|----------|-----|-----|-----|-----|-------|-----|---|--|------|------|----------------|-------|----------|-----|-----|-----|-----|-----|-----|
| Type | X113 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 14.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Type | X113 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Oil q.ty (Lt.) | 22.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑧ M+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑨ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | | X113 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | | 13.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Standard

|  B3 | <table border="1"> <thead> <tr> <th>Type</th> <th>X114</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>14.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① E</td> </tr> <tr> <td>③ B</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X114 | Oil q.ty (Lt.) | 14.50 | Standard | ① E | ③ B | ④ L | ⑤ L | ⑧ L | ⑨ L |  B6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X114</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>8.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ N+E</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X114 | Oil q.ty (Lt.) | 8.50 | Standard | ① B | ③ L | ④ N+E | ⑤ L | ⑧ L | ⑨ L |  B7 | <table border="1"> <thead> <tr> <th>Type</th> <th>X114</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>16.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① B</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X114 | Oil q.ty (Lt.) | 16.50 | Standard | ① B | ③ L | ④ L | ⑤ N+E | ⑧ L | ⑨ L |
|--|--|-------|------|----------------|-------|----------|-----|-----|-----|-----|-----|-----|--|---|------|------|----------------|------|----------|-----|-----|-------|-----|-----|-----|--|--|------|------|----------------|-------|----------|-----|-----|-----|-------|-----|-----|
| Type | X114 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 14.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Type | X114 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Oil q.ty (Lt.) | 8.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Standard | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | | X114 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | | 16.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | ① B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

|  B8 | <table border="1"> <thead> <tr> <th>Type</th> <th>X114</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>16.00</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ N+E</td> </tr> <tr> <td>⑧ B</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X114 | Oil q.ty (Lt.) | 16.00 | Standard | ① L | ③ L | ④ L | ⑤ N+E | ⑧ B | ⑨ L |  V5 | <table border="1"> <thead> <tr> <th>Type</th> <th>X114</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>23.00</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① L</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ L</td> </tr> <tr> <td>⑧ M+E</td> </tr> <tr> <td>⑨ B</td> </tr> </tbody> </table> | Type | X114 | Oil q.ty (Lt.) | 23.00 | Standard | ① L | ③ L | ④ L | ⑤ L | ⑧ M+E | ⑨ B |  V6 | <table border="1"> <thead> <tr> <th>Type</th> <th>X114</th> </tr> </thead> <tbody> <tr> <td>Oil q.ty (Lt.)</td> <td>14.50</td> </tr> <tr> <td rowspan="9">Standard</td> <td>① E</td> </tr> <tr> <td>③ L</td> </tr> <tr> <td>④ L</td> </tr> <tr> <td>⑤ B</td> </tr> <tr> <td>⑧ L</td> </tr> <tr> <td>⑨ L</td> </tr> </tbody> </table> | Type | X114 | Oil q.ty (Lt.) | 14.50 | Standard | ① E | ③ L | ④ L | ⑤ B | ⑧ L | ⑨ L |
|--|--|-------|------|----------------|-------|----------|-----|-----|-----|-------|-----|-----|--|--|------|------|----------------|-------|----------|-----|-----|-----|-----|-------|-----|--|--|------|------|----------------|-------|----------|-----|-----|-----|-----|-----|-----|
| Type | X114 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 16.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Type | X114 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Oil q.ty (Lt.) | 23.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Standard | ① L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑤ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑧ M+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ⑨ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | | X114 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | | 14.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | ① E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ③ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ④ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑤ B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑧ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ⑨ L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▽ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug

● Level oil plug

OIL PLUG



| SYNTHETIC OIL | |
|------------------------------|--|
| Code | Description |
| LUOTVSF320 (Standard) | Shell Omala S4 WE320 Eni Tellium VSF320 |
| LUOBLAS150 (Low temperature) | Shell Omala S4 WE150 Eni Blasias S150 |
| LUOFOOD320 (Food) | Mobil SHC Cibus 320 |



IMPORTANT: if it is needed a level plug as in the picture (close to the foot), mount it with hydraulic sealant AREXONS 35A42

Standard

| | | | | | |
|------------------|--|------------------|--|------------------|--|
| <p>B3</p> | Type 113C Oil q.ty (Lt.) 4.00 6 Standard 1 plug type L On request: 1 E, 2 L, 3 B, 4 L, 6 L | <p>B6</p> | Type 113C Oil q.ty (Lt.) 2.60 6 Standard 1 plug type L On request: 1 L, 2 L, 3 E, 4 L, 6 B | <p>B7</p> | Type 113C Oil q.ty (Lt.) 2.60 6 Standard 1 plug type L On request: 1 E, 2 L, 3 L, 4 L, 6 B |
| | <p>B8</p> | | Type 113C Oil q.ty (Lt.) 2.60 6 Standard 1 plug type L On request: 1 L, 2 N+E, 3 L, 4 B, 6 L | | <p>V5</p> |

Standard

| | | | | | |
|------------------|--|------------------|--|------------------|--|
| <p>B3</p> | Type 114C Oil q.ty (Lt.) 4.10 6 Standard 1 plug type L On request: 1 E, 2 L, 3 B, 4 L, 6 L | <p>B6</p> | Type 114C Oil q.ty (Lt.) 2.70 6 Standard 1 plug type L On request: 1 L, 2 L, 3 E, 4 L, 6 B | <p>B7</p> | Type 114C Oil q.ty (Lt.) 2.70 6 Standard 1 plug type L On request: 1 E, 2 L, 3 L, 4 L, 6 B |
| | <p>B8</p> | | Type 114C Oil q.ty (Lt.) 2.70 6 Standard 1 plug type L On request: 1 L, 2 N+E, 3 L, 4 B, 6 L | | <p>V5</p> |

OIL PLUG POSITIONS - TYPES / POSIZIONE TAPPI OLIO - TIPI

□ Oil plug are on the back side

▽ Filled & breather oil plug

▼ Closed oil plug

△ Drain oil plug

● Level oil plug

OIL PLUG

| | | | |
|---|---|--|---|
|  TO3/8LIA Allum. level plug 3/8 |  TO3/8TPO Breather plug 3/8 |  TO3/8SCA Allum. closed plug 3/8 |  TO3/8PRO Steel extension 3/8 |
|---|---|--|---|

| MINERAL OIL | |
|--------------------------|--|
| Code | Description |
| LUOBLAM460 (Standard) | Eni Blasia 460 Shell Omala S2 GX460 |



IMPORTANT: if it is needed a level plug as in the picture (close to the foot), mount it with hydraulic sealant AREXONS 35A42

Standard

| | <table border="1"> <tr><th>Type</th><th>133C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>6.00</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>E</td></tr> <tr><td>2</td><td>L</td></tr> <tr><td>3</td><td>B</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>L</td></tr> </table> | Type | 133C | Oil q.ty (Lt.) | 6.00 | Standard | | 1 | E | 2 | L | 3 | B | 4 | L | 6 | L | | <table border="1"> <tr><th>Type</th><th>133C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>4.30</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>L</td></tr> <tr><td>2</td><td>L</td></tr> <tr><td>3</td><td>E</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>B</td></tr> </table> | Type | 133C | Oil q.ty (Lt.) | 4.30 | Standard | | 1 | L | 2 | L | 3 | E | 4 | L | 6 | B | | <table border="1"> <tr><th>Type</th><th>133C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>4.30</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>E</td></tr> <tr><td>2</td><td>L</td></tr> <tr><td>3</td><td>L</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>B</td></tr> </table> | Type | 133C | Oil q.ty (Lt.) | 4.30 | Standard | | 1 | E | 2 | L | 3 | L | 4 | L | 6 | B |
|----------------|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|--|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|--|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|
| Type | 133C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 6.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | 133C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | 133C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | <table border="1"> <tr><th>Type</th><th>133C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>3.30</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>L</td></tr> <tr><td>2</td><td>N+E</td></tr> <tr><td>3</td><td>L</td></tr> <tr><td>4</td><td>B</td></tr> <tr><td>6</td><td>L</td></tr> </table> | Type | 133C | Oil q.ty (Lt.) | 3.30 | Standard | | 1 | L | 2 | N+E | 3 | L | 4 | B | 6 | L | | <table border="1"> <tr><th>Type</th><th>133C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>7.20</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>L</td></tr> <tr><td>2</td><td>L</td></tr> <tr><td>3</td><td>L</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>E</td></tr> </table> | Type | 133C | Oil q.ty (Lt.) | 7.20 | Standard | | 1 | L | 2 | L | 3 | L | 4 | L | 6 | E | | <table border="1"> <tr><th>Type</th><th>133C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>3.10</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>E</td></tr> <tr><td>2</td><td>B</td></tr> <tr><td>3</td><td>L</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>L</td></tr> </table> | Type | 133C | Oil q.ty (Lt.) | 3.10 | Standard | | 1 | E | 2 | B | 3 | L | 4 | L | 6 | L |
|----------------|---|------|------|----------------|------|----------|--|---|---|---|-----|---|---|---|---|---|---|--|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|--|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|
| Type | 133C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 3.30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | 133C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 7.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | 133C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 3.10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Standard

| | <table border="1"> <tr><th>Type</th><th>134C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>6.10</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>E</td></tr> <tr><td>2</td><td>L</td></tr> <tr><td>3</td><td>B</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>L</td></tr> </table> | Type | 134C | Oil q.ty (Lt.) | 6.10 | Standard | | 1 | E | 2 | L | 3 | B | 4 | L | 6 | L | | <table border="1"> <tr><th>Type</th><th>134C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>4.40</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>L</td></tr> <tr><td>2</td><td>L</td></tr> <tr><td>3</td><td>E</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>B</td></tr> </table> | Type | 134C | Oil q.ty (Lt.) | 4.40 | Standard | | 1 | L | 2 | L | 3 | E | 4 | L | 6 | B | | <table border="1"> <tr><th>Type</th><th>134C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>4.40</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>E</td></tr> <tr><td>2</td><td>L</td></tr> <tr><td>3</td><td>L</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>B</td></tr> </table> | Type | 134C | Oil q.ty (Lt.) | 4.40 | Standard | | 1 | E | 2 | L | 3 | L | 4 | L | 6 | B |
|----------------|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|--|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|--|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|
| Type | 134C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 6.10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | 134C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | 134C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 4.40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | <table border="1"> <tr><th>Type</th><th>134C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>6.40</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>L</td></tr> <tr><td>2</td><td>N+E</td></tr> <tr><td>3</td><td>L</td></tr> <tr><td>4</td><td>B</td></tr> <tr><td>6</td><td>L</td></tr> </table> | Type | 134C | Oil q.ty (Lt.) | 6.40 | Standard | | 1 | L | 2 | N+E | 3 | L | 4 | B | 6 | L | | <table border="1"> <tr><th>Type</th><th>134C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>7.50</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>L</td></tr> <tr><td>2</td><td>L</td></tr> <tr><td>3</td><td>L</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>E</td></tr> </table> | Type | 134C | Oil q.ty (Lt.) | 7.50 | Standard | | 1 | L | 2 | L | 3 | L | 4 | L | 6 | E | | <table border="1"> <tr><th>Type</th><th>134C</th></tr> <tr><td>Oil q.ty (Lt.)</td><td>3.20</td></tr> <tr><td>Standard</td><td></td></tr> <tr><td>1</td><td>E</td></tr> <tr><td>2</td><td>B</td></tr> <tr><td>3</td><td>L</td></tr> <tr><td>4</td><td>L</td></tr> <tr><td>6</td><td>L</td></tr> </table> | Type | 134C | Oil q.ty (Lt.) | 3.20 | Standard | | 1 | E | 2 | B | 3 | L | 4 | L | 6 | L |
|----------------|---|------|------|----------------|------|----------|--|---|---|---|-----|---|---|---|---|---|---|--|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|--|---|------|------|----------------|------|----------|--|---|---|---|---|---|---|---|---|---|---|
| Type | 134C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 6.40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | N+E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | 134C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 7.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Type | 134C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil q.ty (Lt.) | 3.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |