

**TR** HİDROLİK MOTOR KAPLINLERİ

**EN** HIDRAULIC MOTOR COUPLINGS


**DE** ANBAUVORRICHTUNG FUER HYDRAULIKMOTORE

**IT** PREDISPOSIZIONI PER MOTORI IDRAULICI

**FR** ADAPTATIONS POUR MOTEURS HYDRAULIQUE

**ES** ACOPLAMIENTOS PARA MOTORES HIDRÁULICOS

		A		B		C		D	
		Z	Z	Z+13.5	Z+15	Z	Z+31		
PL 1000	1-2-3-4	—	—	—	—	—	—	—	
PL 1600	1-2-3-4	—	—	—	—	—	—	—	
PL 2500	1-2-3-4	—	1	—	—	—	—	—	
PL 5000	1-2-3-4	—	1	—	—	—	—	—	
PL 7000	2-3-4	1	2	—	—	—	—	—	
PL 10000	2-3-4	1	2	—	—	—	—	—	
PL 16000	2-3-4	1	2	—	—	—	—	—	
PL 18000	3-4	2	3	—	—	—	—	—	
PL 25000	3-4	2	3	1	—	—	—	—	
PL 30000	3-4	2	3	—	—	—	2	—	
PL 35000	3-4	2	3	—	—	—	—	2	
PL 50000	3-4	2	3	—	—	—	1	2	
PL 65000	4	3	4	2	—	—	—	—	
PL 90000	4	3	4	2	—	—	—	—	
PL 130000	4-5	3	4	2	—	—	—	3	
PL 170000	4-5	3	4	—	—	—	2	3	
PL 220000	4-5	3	4	—	—	—	2	3	
PL 250000	5	4	4	3	—	—	—	—	
PL 300000	5	4	5	3	—	—	—	—	
PL 380000	5	4	5	3	—	—	—	4	
PL 460000	5	4	5	—	—	—	3	4	
PL 550000	5	4	5	—	—	—	3	4	
PL 620000	—	—	5	4	—	—	—	—	



**AXIAL PUMP**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	A
M2-AMVCS 34-40-50-55 16/32 DP TH13	52	2074.013.001	
M2-AMVCS 34-40-50-55 16/32 DP TH15	52	2074.013.003	
AMF 24-34-55 25x22 DIN5482	81	2074.013.070	
AMF 55 30x27 DIN5482	81	2074.013.060	

		A		B		C		D	
		Z	Z	Z+16	Z	Z			
PLB 1000	2-3-4	—	—	—	—	—	—	—	
PLB 1600	2-3-4	—	—	—	—	—	—	—	
PLB 2500	2-3-4	—	2-3-4	—	—	—	—	—	
PLB 5000	2-3-4	—	2-3-4	—	—	—	—	—	
PLB 7000	2-3-4	—	2-3-4	—	—	—	—	—	
PLB 10000	2-3-4	—	2-3-4	—	—	—	—	—	
PLB 16000	2-3-4	—	2-3-4	—	—	—	—	—	
PLB 18000	3-4	2	3-4	—	—	—	—	—	
PLB 25000	3-4	2	3-4	—	—	—	—	—	
PLB 30000	3-4	—	3-4	—	—	—	—	—	
PLB 35000	4	2-3	4	—	—	—	—	—	
PLB 50000	4	—	2-3-4	—	—	—	—	—	
PLB 65000	4	—	3-4	—	—	—	—	—	
PLB 90000	4	—	3-4	—	—	—	—	—	
PLB 130000	5	3-4	5	—	—	—	—	—	
PLB 170000	5	3-4	5	—	—	—	—	—	
PLB 220000	5	3-4	5	—	—	—	—	—	
PLB 250000	5	4	5	—	—	—	—	—	
PLB 300000	5	4	5	—	—	—	—	—	
PLB 380000	—	4-5	—	—	—	—	—	—	
PLB 460000	—	5	—	—	—	—	—	—	
PLB 550000	—	5	—	—	—	—	—	—	
PLB 620000	—	5	—	—	—	—	—	—	

**GEOLINK**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	A
GHL/GFS/GFS Æ 25 CH8	61.5	2074.012.012	
GHL/GFS/GFS Æ 25.4 CH6.35	61.5	2074.012.014	
GHL/GFS/GFS SAE 1"6B	61.5	2074.013.013	
GHL/GFS/GFS 25x22 DIN 5482 TH14	61.5	2074.013.011	
GLS Æ 32 CH10	77.5	2074.012.019	
GLC 12/24 DP TH12	38	2074.013.006	
GWS/GWP/GWR - ED	61	8074.502.700	
GWS/GWP/GWR - EDF	61	8074.505.700	

**SAUER - DANFOSS**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	A
OMM Ø16 CH5	70.5	2074.012.035	
OMP - OMR Ø 25 CH8	61.5	2074.012.012	
OMP - OMR Ø 25.4 CH6.35	61.5	2074.012.014	
OMP - OMR SAE 1"6B	61.5	2074.013.013	
OMS Ø 32 CH10	77.5	2074.012.019	
OMS 12/24 DP TH14	77.5	2074.013.039	
OMSS 12/24 DP TH12	38	2074.013.006	
OMT Ø40 CH12	134	2074.012.031	
OMTS 12/24 DP TH16	78	2074.013.032	

Not: 1-2-3-4-5 rakamları planet dişli ünitesinin kademe sayısını göstermektedir.  
 N.B.: Numbers 1-2-3-4-5 refer to the number of stages of the planetary gear unit.  
 N.B.: Die ziffern 1-2-3-4-5 geben die Anzahl der Getriebestufen an.  
 N.B.: I numeri 1-2-3-4-5 indicano il numero di stadi dei riduttori.  
 N.B.: Les numéros 1-2-3-4-5 indiquent le nombre d'étages des réducteurs.  
 Nota: Los números 1-2-3-4-5 indican el número de etapas de los reductores.

Z ölçüleri bu sayfadaki tablolardan doğrulanmalıdır.  
 Z dimensions have to be verified in the tables of this page.  
 Das Mass Z wird in den entsprechenden Tabellen auf dieser Seite festgestellt.  
 Le dimensioni Z riportate vanno verificate con le tabelle di questa pagina.  
 Les dimensions de Z sont à vérifier dans les tableaux de cette page.  
 Las dimensiones Z indicadas tienen que verificarse con las tablas de esta página.

**TR** HİDROLİK MOTOR KAPLINLERİ

**EN** HIDRAULIC MOTOR COUPLINGS

**DE** ANBAUVORRICHTUNG FUER HYDRAULIKMOTORE

**IT** PREDISPOSIZIONI PER MOTORI IDRAULICI

**FR** ADAPTATIONS POUR MOTEURS HYDRAULIQUE

**ES** ACOPLAMIENTOS PARA MOTORES HIDRÁULICOS

DINAMIC OIL			
Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
AH100/BH150/BH175/BH200 28x34 UNI 8953	55.5	2074.013.024	<b>A</b>
CH250/DH300/DH 350 32x38 UNI 8953	138	2074.053.003	<b>B</b>
PH250/PH300 32x38 UNI 8953	130	2074.053.016	
PH800 46x50 UNI 8953	118	2074.053.020	<b>C</b>
PH800/PH1250/MH1000 46x50 UNI 8953	148	2074.073.001	
PH800/PH1250/MH1000 46x50 UNI 8953	148	2074.083.001	<b>D</b>

REXROTH BOSCH GROUP (HYDROMATIK)			
Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
A2FM (10/12/16) W25x1.25 DIN 5480 TH18	61.5	2074.013.009	<b>A</b>
A2FM (23/28/32) W25x1.25 DIN 5480 TH18	81	2074.013.062	
A2FM (23/28/32) W30x2 DIN 5480 TH14	81	2074.013.063	
A2FM (45/56) W30x2 DIN 5480 TH14	78	2074.013.019	
A2FM 45 W32x2 DIN 5480 TH14	78	2074.013.020	
A2FM (56/83) W35x2 DIN 5480 TH16	78	2074.013.021	
A2FM 80 W35x2 DIN 5480 TH16	81.5	2074.013.071	
A2FM (80/90) W40x2 DIN 5480 TH18	81.5	2074.013.064	
A2FM 107 W40x2 DIN 5480 TH18	88.5	2074.013.065	
A2FM 107 W40x2 DIN 5480 TH18	112	2074.053.007	
A2FM (107/125) W45x2 DIN 5480 TH21	112	2074.053.006	<b>B</b>
A2FM 160 W45x2 DIN 5480 TH21	112	2074.053.009	
A2FM (160/180) W50x2 DIN 5480 TH24	112	2074.053.008	
A2FM (200) W50x2 DIN 5480 TH24	112	2074.053.100	
A6VM55 W35x2 DIN 5480 TH16	78	2074.013.021	<b>A</b>
A6VM55 W30x2 DIN 5480 TH14	78	2074.013.019	
A6VM80 W35x2 DIN 5480 TH16	81.5	2074.013.071	
A6VM80 W40x2 DIN 5480 TH18	81.5	2074.013.064	
A6VM107 W40x2 DIN 5480 TH18	88.5	2074.013.065	<b>B</b>
A6VM107 W40x2 DIN 5480 TH18	112	2074.053.007	
A6VM107 W45x2 DIN 5480 TH21	112	2074.053.006	
A6VM160 W45x2 DIN 5480 TH21	112	2074.053.009	

EATON (CHAR-LYNN)			
Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
A-H-S Ø 25 CH8	61.5	2074.012.012	<b>A</b>
A-H-S Ø 25.4 CH6.35	61.5	2074.012.014	
A-H-S SAE 1"6B	61.5	2074.013.013	
<b>SERIE 2000</b>			
BEARINGLESS 12/24 DP TH12	52	2074.013.033	
Ø 32 CH10	77	2074.012.019	
Ø 31.75 CH7.96	61.5	2074.012.017	
12/24 DP TH14	77.5	2074.013.038	
<b>SERIE 4000</b>			
BEARINGLESS 10/20 DP TH12	78	2074.013.045	
Ø 40 CH12	78	2074.012.027	
Ø 31.75 CH7.96	78	2074.012.020	
12/24 DP TH17	78	2074.013.016	
<b>SERIE 6000</b>			
Ø 40 CH12	78	2074.012.027	
12/24 DP TH14	77.5	2074.013.038	

INTERMOT			
Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
NHM 100/150 26x32 UNI 8953	72.5	2074.013.052	<b>A</b>
NHM 200/250/300 32x38 UNI 8953	130	2074.053.016	<b>B</b>
NHM 400/450/500/600 36x42 UNI 8953	143	2074.053.017	
NHM 700/800/900/1000/1100 46x50 UNI 8953	118	2074.053.020	<b>C</b>
NHM 700/800/900/1000/1100 46x50 UNI 8953	148	2074.073.002	
NHM 700/800/900/1000/1100 46x50 UNI 8953	148	2074.083.002	<b>D</b>
NHM 1400/1600/1800/2000 62x72 UNI 8953	179	2074.053.021	<b>B</b>
NHM 1400/1600/1800/2000 62x72 UNI 8953	148	2074.073.003	<b>C</b>
NHM 1400/1600/1800/2000 62x72 UNI 8953	148	2074.083.003	<b>D</b>

EATON			
Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
MF-MV25 16/32 DP TH13	52	2074.013.001	<b>A</b>
MF-MV25 16/32 DP TH15	52	2074.013.003	
MF-MV (33/39/46) 16/32 DP TH21	78	2074.013.017	
MF-MV54 16/32 DP TH23	78	2074.013.018	
MF-MV (33/39/46/54) 12/24 DP TH14	78	2074.013.015	
MF-MV25 Ø 22.22 CH6.25	52	2074.012.001	

LINDE			
Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
MF43M 16/32 DP TH15	52	2074.013.003	<b>A</b>
MF63M 12/24 DP TH14	78	2074.013.015	
BMF35 25x22 DIN 5482 TH14	81	2074.013.070	
BMF50 30x27 DIN 5482 TH16	81	2074.013.060	
BMF75 35x31 DIN 5482 TH18	98	2074.013.061	
BMF 105 40x36 DIN 5482 TH20	90.5	2074.013.068	

HAGGLUNDS-ABEX DENISON			
Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
M3D/M1D/M4E/12/24 DP TH14	78	2074.013.015	<b>A</b>
M3B/M3B1/TM3B 16/32 DP TH9	61.5	2074.013.010	
M1C/M4C/M4SC 16/32 DP TH13	52	2074.013.001	
M4C/M4SC Ø 22.22 CH4/75	67	2074.012.003	

Z ölçüleri sayfa 99'deki tablolardan doğrulanmalıdır.  
Z dimensions have to be verified in the tables on page 99.  
Das Mass Z wird in den entsprechenden Tabellen auf der Seite 99 festgestellt.  
Le dimensioni Z riportate vanno verificate con le tabelle a pag. 99.  
Les dimensions de Z sont à vérifier dans les tableaux à page 99.  
Las dimensiones Z indicadas tienen que verificarse con la tabla de la Pág. 99.

**TR** HİDROLİK MOTOR KAPLINLERİ

**EN** HIDRAULIC MOTOR COUPLINGS

**DE** ANBAUVORRICHTUNG FUER HYDRAULIKMOTORE

**IT** PREDISPOSIZIONI PER MOTORI IDRAULICI

**FR** ADAPTATIONS POUR MOTEURS HYDRAULIQUE

**ES** ACOPLAMIENTOS PARA MOTORES HIDRÁULICOS

**SAUER - DANFOSS (SAUER-SUNSTRAND)**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
<b>SERIE 90 (FLANGE SAE)</b>			
90M032/042 16/32 DP TH13	52	2074.013.001	<b>A</b>
90M032/042 16/32 DP TH15	52	2074.013.003	
90M055 16/32 DP TH21	78	2074.013.017	
90M075/100 16/32 DP TH23	78	2074.013.018	
90M130 16/32 DP TH27	112	2074.053.012	
<b>SERIE 40 (FLANGE SAE)</b>			
MMF025 16/32 DP TH13	52	2074.013.001	<b>A</b>
MMF035/MMV035 16/32 DP TH15	52	2074.013.003	
MMF046/MMV046 16/32 DP TH13	52	2074.013.001	
MMF046/MMV046 16/32 DP TH15	52	2074.013.003	
<b>SERIE 51 (FLANGE SAE)</b>			
51V060 (C6) 13/32 DP TH21	78	2074.013.017	<b>A</b>
51V060 (S1) 12/24 DP TH14	78	2074.013.015	
51V080 (C7) 16/32 DP TH23	78	2074.013.018	
51V080 (S1) 12/24 DP TH14	78	2074.013.015	
51V110 (C8) 16/32 DP TH27	112	2074.053.012	
51V110 (F1) 8/16 DP TH13	112	2074.053.005	<b>B</b>
OMF/SMF18 16/32 DP TH13	52	2074.013.001	<b>A</b>
OMV/SMV 16/32 DP TH13	67	2074.013.067	
SMF2 (033/052/070) 16/32 DP TH21	78	2074.013.017	
SMF3 (049/066) 16/32 DP TH21	78	2074.013.017	

**SAMHYDRAULIC**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
AG/AR Ø 25 CH8	61.5	2074.012.012	<b>A</b>
AG/AR Ø 25.4 CH6.35	61.5	2074.012.014	
AG/AR 25x22 DIN 5482 TH14	61.5	2074.013.011	
AG/AR SAE 1"6B	61.5	2074.013.013	
AGS/ARS Ø 25 CH8	61.5	2074.012.026	
AGS/ARS Ø 32 CH10	77.5	2074.012.019	
AGS/ARS SAE 1"6B	61.5	2074.013.012	
HPR Ø 32 CH10	77.5	2074.012.019	
HPRC 12/24 DP TH12	38	2074.013.006	

**PARKER (TRW TORQMOTOR)**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
MF/MAC/MAF/MAB Ø 25 CH8	61.5	2074.012.012	<b>A</b>
MF/MAC/MAF/MAB Ø 25.4 CH6.35	61.5	2074.013.014	
MF/MAC/MAF/MAB SAE 1"6B	61.5	2074.013.013	
MAB/MAE Ø 31.75 CH7.96	77.5	2074.012.016	
ME 12/24 DP TH14	77.5	2074.013.047	

**EATON (VICKERS)**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
25M 16/32 DP TH13	52	2074.013.001	<b>A</b>
35M-45M 12/24 DP TH14	78	2074.013.015	
MVE-MFE19 16/32 DP TH15	52	2074.013.003	
35M-45M Ø 31.75 CH7.96	78	2074.012.020	

**SAI**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
SAI M05 28x34 UNI 8953	73.5	2074.013.041	<b>A</b>
SAI M05 35x2 DIN 5480 TH16	73.5	2074.013.044	
SAI M1 28x34 UNI 8953	55.5	2074.013.022	
SAI M1 35x2 DIN 5480 TH16	55.5	2074.013.040	
SAI M2 36x40 UNI 8953	78.5	2074.013.066	
SAI M2/M3 36x40 UNI 8953	137	2074.053.010	<b>B</b>
SAI M4 56x65 UNI 8953	96	2074.053.025	

**PARKER (VOLVO)**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
F11/10 (M-C-K) Ø 20 CH6	81	2074.012.065	<b>A</b>
F11/10 (C-T) W20x1.25 DIN 5480 TH14	49	2074.013.046	
F11/19 (M-C-D) W25x1.25 DIN 5480 TH18	77	2074.013.068	
F11/39/58 (M-C-D) W30x2 DIN 5480 TH14	81.5	2074.013.030	
F11/78 (M-C-D) W40x2 DIN 5480 TH18	88.5	2074.013.065	
F11/110 (M-C-D) W40x2 DIN 5480 TH18	88.5	2074.013.034	
F11/110 (M-C-D) W40x2 DIN 5480 TH18	112	2074.053.018	
F12/30 (M-F-Z) W25x1.25 DIN 5480 TH18	81	2074.013.062	
F12/40 (M-F-D) W32x2 DIN 5480 TH14	78	2074.013.020	
F12/80 (M-I-D) W40x2 DIN 5480 TH18	81.5	2074.013.064	
V11 (60/80) (M-S-S) 12/24 DP TH14	78	2074.013.015	<b>A</b>
V12/60 (M-I-C) W30x2 DIN 5480 TH14	78	2074.013.019	
V12/60 (M-I-D) W35x2 DIN 5480 TH16	78	2074.013.021	
V12-110 (U-S) S8/16 DP TH13	112	2074.053.005	
V12/110 (M-I-D) W45x2 DIN 5480 TH21	112	2074.053.006	

**SAE J744C**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
SAE A 16/32 DP TH9	61.5	2074.013.010	<b>A</b>
SAE B 16/32 DP TH13	52	2074.013.001	
SAE BB 16/32 DP TH15	52	2074.013.003	
SAE C 12/24 DP TH14	78	2074.013.015	
SAE CC 12/24 DP TH17	78	2074.013.016	
SAE D 8/16 DP TH13	112	2074.053.005	<b>B</b>

**WHITE**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
HS-RS Ø 25 CH8	61.5	2074.012.012	<b>A</b>
HS-RS Ø 1"6B	61.5	2074.013.013	
RE Ø 32 CH10	77.5	2074.012.019	
RE Ø 31.75 CH7.96	77.5	2074.012.016	

**STAFFA**

Motor tipi / Motor type Motortyp / Motore tipo Moteur type / Tipos de motor	Z	Kod / Code Bestell Nr. / Codice Code / Código	
HMC 030	142	2074.052.001	<b>B</b>

Z ölçüleri sayfa 99'deki tablolardan doğrulanmalıdır.  
Z dimensions have to be verified in the tables on page 99.  
Das Mass Z wird in den entsprechenden Tabellen auf der Seite 99 festgelegt.  
Le dimensioni Z riportate vanno verificate con le tabelle a pag. 99.  
Les dimensions de Z sont à vérifier dans les tableaux à page 99.  
Las dimensiones Z indicadas tienen que verificarse con la tabla de la Pág. 99.